# Medicines Amendment Regulations 2006

## Preamble

At Wellington this 19th day of June 2006

Pursuant to section 105 of the Medicines Act 1981, Her Excellency the Administrator of the Government, acting on the advice of the Minister of Health tendered after consultation with the organisations or bodies appearing to the Minister to be representative of persons likely to be substantially affected, and acting on the advice and with the consent of the Executive Council, makes the following regulations.

## Contents


| | | Page |
|---|---|---|
| 1 | Title | 1 |
| 2 | Commencement | 2 |
| 3 | Principal regulations amended | 2 |
| 4 | Labelling of medicines | 2 |
| 5 | Warning statements for certain medicines related products, and cosmetics | 2 |
| 6 | Containers for medicines, related products, and cosmetics | 2 |
| 7 | New Schedule 1 substituted | 3 |
| 8 | Consequential revocation | 3 |
| | **Schedule** | 3 |
| | **New Schedule 1 substituted** | |


---

### 1 Title

These regulations are the Medicines Amendment Regulations 2006.

**2 Commencement**

These regulations come into force on 24 July 2006.

**3 Principal regulations amended**

These regulations amend the Medicines Regulations 1984.

**4 Labelling of medicines**

Regulation 13(1) is amended by revoking paragraphs (f) to (h) and substituting the following paragraphs:

"(f) in the case of a prescription medicine,—

"(i) the words 'PRESCRIPTION MEDICINE' or words of a similar meaning; or

"(ii) the words 'PRESCRIPTION ONLY MEDICINE' or words of a similar meaning; or

"(iii) the acronym 'POM':

"(g) in the case of a restricted medicine,—

"(i) the words 'RESTRICTED MEDICINE'; or

"(ii) the words 'PHARMACIST ONLY MEDICINE':

"(h) in the case of a pharmacy-only medicine,—

"(i) the words 'PHARMACY-ONLY MEDICINE' or words of a similar meaning; or

"(ii) the words 'PHARMACY MEDICINE' or words of a similar meaning:"

**5 Warning statements for certain medicines related products, and cosmetics**

Regulation 22 is amended by revoking subclause (5) and substituting the following subclause:

"(5) Every container of a restricted medicine or pharmacy-only medicine and that contains hydrocortisone or hydrocortisone acetate must, subject to regulation 23, bear, in addition to any other statement that is required by these regulations, the warning statement 'If ailment does not respond to treatment within 7 days, seek medical attention', or words of similar meaning."

**6 Containers for medicines, related products, and cosmetics**

Regulation 35 is amended by revoking subclauses (1) and (2) and substituting the following subclause:

"(1) A person must not pack, store, or sell a prescription medicine, restricted medicine, or pharmacy-only medicine in a container made of paper; but nothing in this subclause prevents the person from packing, storing, or selling the medicine in a container made of cardboard."

**7 New Schedule 1 substituted**

Schedule 1 is revoked and the Schedule 1 set out in the Schedule of these regulations is substituted.

**8 Consequential revocation**

The Medicines Amendment Regulations 2002 (SR 2002/134) are consequentially revoked.

---

## Schedule r 7

## New Schedule 1 substituted

## Schedule 1 r 3

## Prescription, restricted, and pharmacy-only medicines

Every reference to a medicine in this schedule applies whether the medicine is synthetic in origin or is from biological or mineral sources.

Unless specific reference is made otherwise, every reference applies also to medicines that are—

(a) preparations and admixtures containing any proportion of any substance listed in this schedule:
(b) salts and esters of any substance listed in this schedule:
(c) preparations or extracts of biological materials listed in this schedule:
(d) salts or oxides of elements listed in this schedule.

Unless specific reference is made otherwise, every reference to a medicine in this schedule applies,—

(a) if the medicine is an injection or eye preparation, to any concentration of the medicine; and

Schedule 1—*continued*

(b) if the medicine is not an injection or eye preparation, only if the concentration of the medicine is greater than 10 milligrams per litre or per kilogram.

Where any reference is modified by a statement of the strength of the medicine, the strength is calculated using the free acid, base, alcohol, or element unless specifically stated otherwise.

## 1
## Prescription medicines

Amending or replacing this Part may affect designated prescriber regulations under section 105(1)(q) of the Act.

| | |
|---|---|
| 1 | 19-norandrostenedione |
| 2 | 2,4-dinitrochlorobenzene |
| 3 | 4-aminopyridine |
| 4 | 4-chloromethandienone |
| 5 | 4-chlorotestosterone |
| 6 | Abacavir |
| 7 | Abciximab |
| 8 | Abrus precatorius; at all strengths |
| 9 | Acamprosate |
| 10 | Acarbose |
| 11 | Acebutolol |
| 12 | Acepromazine |
| 13 | Acetanilides |
| 14 | Acetarsol |
| 15 | Acetazolamide |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 16 | Acetohexamide |
| 17 | Acetylcarbromal |
| 18 | Acetylcholine; except in medicines containing 1 milli-gram or less per litre or per kilogram |
| 19 | Acetylcysteine; for injection or inhalation |
| 20 | Acetyldigitoxin |
| 21 | Acetylmethyldimethyloximidophenylhydrazine |
| 22 | Acetylstrophanthidin |
| 23 | Aciclovir; except for external use for the treatment of herpes labialis |
| 24 | Acipimox |
| 25 | Acitretin |
| 26 | Acokanthera |
| 27 | Aconitum spp.; except when specified elsewhere in this schedule |
| 28 | Acrivastine |
| 29 | Actinomycin D |
| 30 | Adalimumab |
| 31 | Adapalene |
| 32 | Adefovir |
| 33 | Adenosine; for injection |
| 34 | Adiphenine |
| 35 | Adrafinil |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 36 | Adonis vernalis |
| 37 | Adrenal extract; except for dermal use in medicines containing 0.02% or less of ketosteroids |
| 38 | Adrenaline; in medicines containing more than 1% |
| 39 | Adrenocortical hormones; except adrenal extract for dermal use containing 0.02% or less of ketosteroids |
| 40 | Agalsidase |
| 41 | Alatrofloxacin |
| 42 | Albendazole |
| 43 | Albumin |
| 44 | Alclofenac |
| 45 | Alclometasone; except when specified elsewhere in this schedule |
| 46 | Alcohol; for injection in medicines containing more than 20% |
| 47 | Alcuronium |
| 48 | Aldesleukin |
| 49 | Aldosterone; except in medicines containing 10 micrograms or less per litre or per kilogram |
| 50 | Alefacept |
| 51 | Alemtuzumab |
| 52 | Alendronic acid |
| 53 | Alfacalcidol |
| 54 | Alfuzosin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 55 | Alglucerase |
| 56 | Alkyl sulfonals |
| 57 | Allergens |
| 58 | Allopurinol |
| 59 | Allylisopropylacetylurea; at all strengths |
| 60 | Allyloestrenol |
| 61 | Alosetron |
| 62 | Alphadolone |
| 63 | Alphaxalone |
| 64 | Alprenolol |
| 65 | Alprostadil |
| 66 | Alseroxylon |
| 67 | Alteplase |
| 68 | Altretamine |
| 69 | Amantadine |
| 70 | Ambenonium |
| 71 | Ambucetamide |
| 72 | Ambutonium |
| 73 | Amcinonide |
| 74 | Amethocaine; for internal use; for external use in medicines containing more than 10%; for ophthalmic use except when used in practice by a registered optometrist |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 75 | Amfebutamone |
| 76 | Amidopyrine |
| 77 | Amifostine |
| 78 | Amikacin |
| 79 | Amiloride |
| 80 | Aminocaproic acid |
| 81 | Aminoglutethimide |
| 82 | Aminometradine |
| 83 | Aminophenazone; at all strengths |
| 84 | Aminophylline; except for oral use in liquid form in medicines containing 2% or less |
| 85 | Aminopterin |
| 86 | Aminorex |
| 87 | Aminosalicylic acid |
| 88 | Amiodarone |
| 89 | Amiphenazole |
| 90 | Amisometradine |
| 91 | Amisulpride |
| 92 | Amitriptyline |
| 93 | Amlodipine |
| 94 | Ammi visnaga |
| 95 | Ammonium bromide |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 96 | Amodiaquine |
| 97 | Amorolfine; except for external use |
| 98 | Amoxapine |
| 99 | Amoxycillin |
| 100 | Amphomycin |
| 101 | Amphotericin; except for the treatment of oral candidiasis |
| 102 | Ampicillin |
| 103 | Amprenavir |
| 104 | Amrinone |
| 105 | Amsacrine |
| 106 | Amygdalin; at all strengths |
| 107 | Amyl nitrite; except when sold from outlets licensed under the Toxic Substances Regulations 1983 to sell sodium cyanide paste for the purpose of vertebrate pest control |
| 108 | Amylocaine |
| 109 | Anabolic steroids |
| 110 | Anakinra |
| 111 | Anastrozole |
| 112 | Ancestim |
| 113 | Anchusa officinalis; at all strengths |
| 114 | Ancrod and its immunoglobulin antidote |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 115 | Androgenic and anabolic steroidal agents |
| 116 | Androgens |
| 117 | Androisoxazole |
| 118 | Androstanolone |
| 119 | Androstenediol |
| 120 | Androstenedione |
| 121 | Anecortave |
| 122 | Angiotensinamide |
| 123 | Anistreplase |
| 124 | Antazoline; except for ophthalmic use |
| 125 | Antibiotic substances; except when specified elsewhere in this schedule |
| 126 | Antigens |
| 127 | Antihistamines; except when specified elsewhere in this schedule |
| 128 | Antimony; except in medicines containing 1 milligram or less per litre or per kilogram |
| 129 | Antisera; for injection |
| 130 | Antithrombin III |
| 131 | Apocynum spp. |
| 132 | Apomorphine; except in medicines containing 1 milligram or less per litre or per kilogram |
| 133 | Apraclonidine |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 134 | Aprepitant |
| 135 | Apronal |
| 136 | Aprotinin |
| 137 | Arecoline |
| 138 | Aripiprazole |
| 139 | Aristolochia spp.; at all strengths |
| 140 | Aristolochic acid; at all strengths |
| 141 | Arsenic; except in medicines containing 1 milligram or less per litre or per kilogram |
| 142 | Artemether |
| 143 | Articaine |
| 144 | Astemizole |
| 145 | Atamestane |
| 146 | Atazanavir |
| 147 | Atenolol |
| 148 | Atomoxetine |
| 149 | Atorvastatin |
| 150 | Atosiban |
| 151 | Atovaquone |
| 152 | Atracurium |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 153 | Atropa belladonna; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less of total solanaceous alkaloids per litre or per kilogram |
| 154 | Atropine; except when specified elsewhere in this schedule; except when used as an antidote in a device designed for self-injection; except in medicines containing 300 micrograms or less per litre or per kilogram |
| 155 | Atropine methonitrate |
| 156 | Auranofin |
| 157 | Aurothiomalate sodium |
| 158 | Aviptadil |
| 159 | Azacyclonol |
| 160 | Azapropazone |
| 161 | Azaribine |
| 162 | Azatadine; except for oral use |
| 163 | Azathioprine |
| 164 | Azelaic acid; except for dermal use |
| 165 | Azelastine; except for nasal use |
| 166 | Azithromycin |
| 167 | Azlocillin |
| 168 | Aztreonam |
| 169 | Bacampicillin |
| 170 | Bacitracin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 171 | Baclofen |
| 172 | Balsalazide |
| 173 | Bambuterol |
| 174 | Bamethan |
| 175 | Bamipine |
| 176 | Barbiturates; except when specified in the schedules of the Misuse of Drugs Act 1975 |
| 177 | Basiliximab |
| 178 | Becaplermin |
| 179 | Beclamide |
| 180 | Beclomethasone; except when specified elsewhere in this schedule |
| 181 | Bemegride |
| 182 | Benactyzine |
| 183 | Benazepril |
| 184 | Bendrofluazide |
| 185 | Benethamine penicillin |
| 186 | Benorylate |
| 187 | Benoxaprofen |
| 188 | Benperidol |
| 189 | Benserazide |
| 190 | Benzathine penicillin |
| 191 | Benzatropine |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 192 | Benzhexol |
| 193 | Benzilonium |
| 194 | Benzocaine; for internal use; for external use in medicines containing more than 10% |
| 195 | Benzodiazepines; except when specified in Schedule 3 of the Misuse of Drugs Act 1975 |
| 196 | Benzoyl metronidazole |
| 197 | Benzoyl peroxide; except for external use in medicines containing 10% or less |
| 198 | Benzthiazide |
| 199 | Benzydamine; for internal use |
| 200 | Benzylpenicillin |
| 201 | Bepridil |
| 202 | Beractant |
| 203 | Beta carotene; in medicines containing more than 18 milligrams per recommended daily dose |
| 204 | Betahistine |
| 205 | Betamethasone |
| 206 | Betaxolol |
| 207 | Bethanechol |
| 208 | Bethanidine |
| 209 | Bevacizumab |
| 210 | Bevantolol |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 211 | Bexarotene |
| 212 | Bezafibrate |
| 213 | Bicalutamide |
| 214 | Bifonazole; except for dermal use |
| 215 | Bimatoprost |
| 216 | Biperiden |
| 217 | Bismuth; except for external use in medicines containing 3% or less |
| 218 | Bisoprolol |
| 219 | Bithionol; at all strengths |
| 220 | Bivalirudin |
| 221 | Bleomycin |
| 222 | Blood clotting factors; except factor VIII |
| 223 | Blood corpuscles |
| 224 | Blood, whole |
| 225 | Bolandiol |
| 226 | Bolasterone |
| 227 | Bolazine |
| 228 | Boldenone |
| 229 | Bolenol |
| 230 | Bolmantalate |
| 231 | Bortezomib |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 232 | Bosentan |
| 233 | Botulinum toxins |
| 234 | Bretylium |
| 235 | Brimonidine |
| 236 | Brinzolamide |
| 237 | Bromocriptine |
| 238 | Bromofolm |
| 239 | Brompheniramine; except when specified elsewhere in this schedule |
| 240 | Bromvaletone |
| 241 | Buclizine; except for oral use |
| 242 | Budesonide; except when specified elsewhere in this schedule |
| 243 | Bufexamac; except in suppositories or for dermal use in medicines containing 5% or less |
| 244 | Bumetanide |
| 245 | Buniodyl sodium; at all strengths |
| 246 | Buphenine |
| 247 | Bupivacaine |
| 248 | Bupropion |
| 249 | Buserelin |
| 250 | Buspirone |
| 251 | Busulphan |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 252 | Butacaine |
| 253 | Butoconazole |
| 254 | Butorphanol |
| 255 | Butyl aminobenzoate; except for dermal use in medicines containing 2% or less |
| 256 | Butyl nitrite |
| 257 | Butylchloral hydrate |
| 258 | Cabergoline |
| 259 | Cacalia spp.; at all strengths |
| 260 | Calcipotriol |
| 261 | Calcitonin |
| 262 | Calcitriol |
| 263 | Calcium carbimide |
| 264 | Calcium polystyrene sulphonate |
| 265 | Calotropis |
| 266 | Calusterone |
| 267 | Camphorated oil |
| 268 | Camphotamide |
| 269 | Candesartan |
| 270 | Candicidin |
| 271 | Capecitabine |
| 272 | Capreomycin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 273 | Captodiame |
| 274 | Captopril |
| 275 | Capuride |
| 276 | Caramiphen |
| 277 | Carbachol |
| 278 | Carbamazepine |
| 279 | Carbaryl; except for external use in medicines containing 2% or less |
| 280 | Carbazochrome |
| 281 | Carbenicillin |
| 282 | Carbenoxolone; for internal use |
| 283 | Carbetocin |
| 284 | Carbidopa |
| 285 | Carbimazole |
| 286 | Carbocromen |
| 287 | Carboplatin |
| 288 | Carboprost |
| 289 | Carbromal |
| 290 | Carbutamide |
| 291 | Carbuterol |
| 292 | Carindacillin |
| 293 | Carisoprodol |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 294 | Carmustine |
| 295 | Carprofen |
| 296 | Carvedilol |
| 297 | Caspofungin |
| 298 | Catalin |
| 299 | Cefacetrile |
| 300 | Cefaclor |
| 301 | Cefaloridine |
| 302 | Cefamandole |
| 303 | Cefapirin |
| 304 | Cefazolin |
| 305 | Cefepime |
| 306 | Cefetamet |
| 307 | Cefixime |
| 308 | Cefodizime |
| 309 | Cefonicid |
| 310 | Cefoperazone |
| 311 | Cefotaxime |
| 312 | Cefotetan |
| 313 | Cefotiam |
| 314 | Cefoxitin |
| 315 | Cefpirome |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 316 | Cefpodoxime |
| 317 | Cefsulodin |
| 318 | Ceftazidime |
| 319 | Ceftibuten |
| 320 | Ceftriaxone |
| 321 | Cefuroxime |
| 322 | Celecoxib |
| 323 | Celiprolol |
| 324 | Cephalexin |
| 325 | Cephalothin |
| 326 | Cephazolin |
| 327 | Cephradine |
| 328 | Cerivastatin |
| 329 | Ceruletide |
| 330 | Cetirizine; except for oral use |
| 331 | Cetrorelix |
| 332 | Cetuximab |
| 333 | Chenodeoxycholic acid |
| 334 | Chloral hydrate; except for dermal use in medicines containing 2% or less |
| 335 | Chloralformamide |
| 336 | Chloralose |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 337 | Chlorambucil |
| 338 | Chloramphenicol |
| 339 | Chlorandrostenolone |
| 340 | Chlorazanil |
| 341 | Chlorcyclizine |
| 342 | Chlormerodrin |
| 343 | Chlormethiazole |
| 344 | Chlormezanone |
| 345 | Chloroform; for anaesthesia; except when specified else-where in this schedule |
| 346 | Chloroquine |
| 347 | Chlorothiazide |
| 348 | Chlorotrianisene |
| 349 | Chloroxydienone |
| 350 | Chloroxymesterone |
| 351 | Chlorpheniramine; except when specified elsewhere in this schedule |
| 352 | Chlorphentermine |
| 353 | Chlorpromazine |
| 354 | Chlorpropamide |
| 355 | Chlorprothixene |
| 356 | Chlorquinaldol; for internal use |
| 357 | Chlortetracycline |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 358 | Chlorthalidone |
| 359 | Chlorzoxazone |
| 360 | Cholera vaccine |
| 361 | Chymopapain |
| 362 | Ciclacillin |
| 363 | Ciclesonide |
| 364 | Ciclopirox; except for external use |
| 365 | Cidofovir |
| 366 | Cilastatin |
| 367 | Cilazapril |
| 368 | Cimetidine; except when specified elsewhere in this schedule |
| 369 | Cinacalcet |
| 370 | Cinchocaine; for injection; for ophthalmic use; for external use in medicines containing more than 0.5% |
| 371 | Cinchophen |
| 372 | Cinoxacin |
| 373 | Ciprofloxacin |
| 374 | Cisapride |
| 375 | Cisatracurium |
| 376 | Cisplatin |
| 377 | Citalopram |
| 378 | Cladribine |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 379 | Clarithromycin |
| 380 | Clavulanic acid |
| 381 | Clemastine; except for oral use |
| 382 | Clemizole |
| 383 | Clenbuterol |
| 384 | Clidinium |
| 385 | Clindamycin |
| 386 | Clioquinol; at all strengths |
| 387 | Clobetasol |
| 388 | Clobetasone; except when specified elsewhere in this schedule |
| 389 | Clocortolone |
| 390 | Clodronic acid |
| 391 | Clofazimine |
| 392 | Clofenamide |
| 393 | Clofibrate |
| 394 | Clomiphene |
| 395 | Clomipramine |
| 396 | Clomocycline |
| 397 | Clonidine |
| 398 | Clopamide |
| 399 | Clopidogrel |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 400 | Clorexolone |
| 401 | Clorprenaline |
| 402 | Clostebol |
| 403 | Clotrimazole; except when specified elsewhere in this schedule |
| 404 | Cloxacillin |
| 405 | Clozapine |
| 406 | Cobalt |
| 407 | Co-dergocrine |
| 408 | Colaspase |
| 409 | Colchicine |
| 410 | Colchicum |
| 411 | Colecalciferol; in medicines containing more than 25 micrograms per recommended daily dose except in parenteral nutrition replacement preparations |
| 412 | Colestipol |
| 413 | Colestyramine |
| 414 | Colfosceril |
| 415 | Colistin |
| 416 | Collagen; in injections or implants for tissue augmentation or cosmetic use |
| 417 | Conium maculatum; at all strengths |
| 418 | Convallaria |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 419 | Coronilla spp. |
| 420 | Corticosterone |
| 421 | Corticotrophin |
| 422 | Cortisone and other steroidal hormones of the adrenal cortex; except when specified elsewhere in this schedule; except adrenal extract for dermal use in medicines containing 0.02% or less of ketosteroids |
| 423 | Cotarnine; at all strengths |
| 424 | Co-trimoxazole |
| 425 | Coumarin |
| 426 | Crotalaria spp.; at all strengths |
| 427 | Croton tiglium; except in medicines containing 1 milligram or less per litre or per kilogram |
| 428 | Crystal violet |
| 429 | Curare |
| 430 | Cyclandelate |
| 431 | Cyclizine; except for oral use |
| 432 | Cyclobenzaprine |
| 433 | Cyclofenil |
| 434 | Cycloheximide |
| 435 | Cyclopenthiazide |
| 436 | Cyclopentolate; except when used in practice by a registered optometrist |
| 437 | Cyclophosphamide |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 438 | Cyclopropane |
| 439 | Cycloserine |
| 440 | Cyclosporin |
| 441 | Cyclothiazide |
| 442 | Cycrimine |
| 443 | Cymarin |
| 444 | Cynoglossum spp.; at all strengths |
| 445 | Cyproheptadine; except for oral use |
| 446 | Cyproterone |
| 447 | Cysteamine |
| 448 | Cytarabine |
| 449 | Dacarbazine |
| 450 | Daclizumab |
| 451 | Dactinomycin |
| 452 | Dalfopristin |
| 453 | Dalteparin |
| 454 | Danaparoid |
| 455 | Danazol |
| 456 | Danthron |
| 457 | Dantrolene |
| 458 | Dapsone |
| 459 | Darbepoetin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 460 | Darifenacin |
| 461 | Datura spp.; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning |
| 462 | Daunorubicin |
| 463 | Deanol |
| 464 | Debrisoquine |
| 465 | Decamethonium |
| 466 | Deferasirox |
| 467 | Deferiprone |
| 468 | Deflazacort |
| 469 | Dehydrochloromethyltestosterone |
| 470 | Dehydrocorticosterone |
| 471 | Delavirdine |
| 472 | Demecarium |
| 473 | Demeclocycline |
| 474 | Deoxycortone |
| 475 | Deoxyribonuclease; except for external use |
| 476 | Desferrioxamine |
| 477 | Desflurane |
| 478 | Desipramine |
| 479 | Desirudin |
| 480 | Deslanoside |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 481 | Desloratadine; except for oral use |
| 482 | Desmopressin |
| 483 | Desogestrel |
| 484 | Desonide |
| 485 | Desoximetasone |
| 486 | Dexamethasone |
| 487 | Dexchlorpheniramine; except when specified elsewhere in this schedule |
| 488 | Dexfenfluramine |
| 489 | Dexmedetomidine |
| 490 | Dextromethorphan; except when specified elsewhere in this schedule |
| 491 | Dextrorphan |
| 492 | Diazoxide |
| 493 | Dibenzepin |
| 494 | Dibotermin |
| 495 | Dibrompropamidine; except for ophthalmic use |
| 496 | Dichloralphenazone |
| 497 | Dichlorophen |
| 498 | Dichlorphenamide |
| 499 | Diclofenac; except when specified elsewhere in this schedule; except for external use |
| 500 | Dicloxacillin |

Schedule 1—*continued*
1—*continued*

501 Dicyclomine

502 Didanosine

503 Dienoestrol

504 Dienogest

505 Diethazine

506 Diethylcarbamazine

507 Diethylstilbestrol

508 Diflorasone

509 Diflucortolone

510 Diflunisal

511 Digitalis lanata

512 Digitalis purpurea

513 Digitoxin

514 Digoxin

515 Digoxin-specific antibody fragment

516 Dihydralazine

517 Dihydroergotoxine

518 Dihydrolone

519 Dihydrotachysterol

520 Di-iodohydroxy quinoline; except for vaginal use

521 Diltiazem

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 522 | Dimenhydrinate; except when specified elsewhere in this schedule |
| 523 | Dimercaprol |
| 524 | Dimethandrostanolone |
| 525 | Dimethazine |
| 526 | Dimethindene; except for oral use |
| 527 | Dimethothiazine |
| 528 | Dimethyl sulphoxide |
| 529 | Dinitrocresols |
| 530 | Dinitronaphthols |
| 531 | Dinitrophenols |
| 532 | Dinitrothymols |
| 533 | Dinoprost |
| 534 | Dinoprostone |
| 535 | Diperodon |
| 536 | Diphemanil; except for dermal use |
| 537 | Diphenhydramine; except when specified elsewhere in this schedule |
| 538 | Diphenidol |
| 539 | Diphenylpyraline; except when specified elsewhere in this schedule |
| 540 | Diphtheria toxoid |
| 541 | Dipivefrin |

Schedule 1—*continued*
1—*continued*

542 Dipyridamole

543 Dirithromycin

544 Disopyramide

545 Distigmine

546 Disulfiram

547 Disulphamide

548 Ditiocarb

549 Dobutamine

550 Docetaxel

551 Dofetilide

552 Dolasetron

553 Domperidone

554 Donepezil

555 Dopamine

556 Dopexamine

557 Dornase

558 Dorzolamide

559 Dothiepin

560 Doxantrazole

561 Doxapram

562 Doxazosin

563 Doxepin

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 564 | Doxorubicin |
| 565 | Doxycycline |
| 566 | Doxylamine; except when specified elsewhere in this schedule |
| 567 | Droperidol |
| 568 | Drospirenone |
| 569 | Drostanolone |
| 570 | Drotecogin |
| 571 | Duboisia leichhardtii; except when specified elsewhere in this schedule |
| 572 | Duboisia myoporides; except when specified elsewhere in this schedule |
| 573 | Dulcin; at all strengths |
| 574 | Duloxetine |
| 575 | Dutasteride |
| 576 | Dydrogesterone |
| 577 | Econazole; except when specified elsewhere in this schedule |
| 578 | Ecothiopate |
| 579 | Ectylurea |
| 580 | Edetic acid; in medicines containing more than 0.25%; except in contact lens preparations; except dicobalt edetate for the treatment of cyanide poisoning |
| 581 | Edoxudine |

Schedule 1—*continued*
1—*continued*

582 Edrophonium

583 Efalizumab

584 Efavirenz

585 Eflornithine

586 Eformoterol

587 Eletriptan

588 Emepronium

589 Emetine; in medicines containing more than 0.2%

590 Emtricitabine

591 Enalapril

592 Enestebol

593 Enflurane

594 Enfuvirtide

595 Enoxacin

596 Enoxaparin

597 Enoximone

598 Enprostil

599 Entacapone

600 Entecavir

601 Epicillin

602 Epinastine

603 Epirubicin

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 604 | Epitiostanol |
| 605 | Eplerenone |
| 606 | Epoetins |
| 607 | Epoprostenol |
| 608 | Eprosartan |
| 609 | Eptifibatide |
| 610 | Ergocalciferol; in medicines containing more than 25 micrograms per recommended daily dose |
| 611 | Ergometrine |
| 612 | Ergot |
| 613 | Ergotamine |
| 614 | Ergotoxine |
| 615 | Erlotinib |
| 616 | Ertapenem |
| 617 | Erysimum spp.; except in medicines containing 1 milligram or less per litre or per kilogram |
| 618 | Erythromycin |
| 619 | Erythropoietin |
| 620 | Escitalopram |
| 621 | Esmolol |
| 622 | Esomeprazole |
| 623 | Estramustine |
| 624 | Estropipate |

Schedule 1—*continued*
1—*continued*

625 Etanercept

626 Ethacrynic acid

627 Ethambutol

628 Ethamivan

629 Ethanolamine; for injection

630 Ether; for anaesthesia

631 Ethinyloestradiol

632 Ethionamide

633 Ethisterone

634 Ethoglucid

635 Ethoheptazine

636 Ethopropazine

637 Ethosuximide

638 Ethotoin

639 Ethoxzolamide

640 Ethyl chloride; for inhalation

641 Ethyldienolone

642 Ethylhexanediol; at all strengths

643 Ethyloestrenol

644 Ethynodiol

645 Etidocaine

646 Etidronic acid

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 647 | Etilefrine |
| 648 | Etodolac |
| 649 | Etofenamate; except for external use |
| 650 | Etoposide |
| 651 | Etoricoxib |
| 652 | Etretinate |
| 653 | Everolimus |
| 654 | Exemestane |
| 655 | Ezetimibe |
| 656 | Factor VIII inhibitor bypassing fraction |
| 657 | Famciclovir |
| 658 | Famotidine; except when specified elsewhere in this schedule |
| 659 | Farfugium japonicum; at all strengths |
| 660 | Felodipine |
| 661 | Felypressin; except when combined with a local anaesthetic and used in practice by a registered dental therapist |
| 662 | Fenbufen |
| 663 | Fenclofenac |
| 664 | Fenfluramine |
| 665 | Fenofibrate |
| 666 | Fenoldopam |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 667 | Fenoprofen |
| 668 | Fenoterol |
| 669 | Fenpipramide |
| 670 | Fenpiprane |
| 671 | Fexofenadine; except for oral use |
| 672 | Fibrin |
| 673 | Fibrinogen |
| 674 | Fibrinolysin; except for external use |
| 675 | Filgrastim |
| 676 | Finasteride |
| 677 | Flecainide |
| 678 | Fleroxacin |
| 679 | Floctafenine |
| 680 | Fluanisone |
| 681 | Fluclorolone |
| 682 | Flucloxacillin |
| 683 | Fluconazole; except when specified elsewhere in this schedule |
| 684 | Flucytosine |
| 685 | Fludarabine |
| 686 | Fludrocortisone |
| 687 | Flufenamic acid |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 688 | Flumazenil |
| 689 | Flumethasone |
| 690 | Flumethiazide |
| 691 | Flunisolide |
| 692 | Fluocinolone |
| 693 | Fluocinonide |
| 694 | Fluocortin |
| 695 | Fluocortolone |
| 696 | Fluorescein; for injection |
| 697 | Fluorides; except when specified elsewhere in this schedule; except in parenteral nutrition replacement preparations; for external use in medicines other than pastes, gels, or powders for cleaning the teeth containing more than 2.5% except when used in practice by a registered dental therapist; except in medicines containing 15 milligrams or less per litre or per kilogram |
| 698 | Fluorometholone |
| 699 | Fluorouracil |
| 700 | Fluoxetine |
| 701 | Fluoxymesterone |
| 702 | Flupenthixol |
| 703 | Fluphenazine |
| 704 | Flurandrenolone |
| 705 | Flurbiprofen; except in throat lozenges containing 10 milligrams or less per lozenge |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 706 | Fluroxene |
| 707 | Fluspirilene |
| 708 | Flutamide |
| 709 | Fluticasone; except when specified elsewhere in this schedule |
| 710 | Fluvastatin |
| 711 | Fluvoxamine |
| 712 | Folic acid; for injection except in parenteral nutrition replacement preparations |
| 713 | Folinic acid; for injection |
| 714 | Follicle stimulating hormone; except in medicines containing 100 micrograms or less per litre or per kilogram |
| 715 | Follitropin |
| 716 | Fondaparinux |
| 717 | Formebolone |
| 718 | Formestane |
| 719 | Formoterol |
| 720 | Formyldienolone |
| 721 | Fosamprenavir |
| 722 | Foscarnet |
| 723 | Fosfestrol |
| 724 | Fosinopril |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 725 | Fosphenytoin |
| 726 | Fotemustine |
| 727 | Framycetin |
| 728 | Frusemide |
| 729 | Fulvestrant |
| 730 | Furaltadone |
| 731 | Furazabol |
| 732 | Furazolidone |
| 733 | Fusidic acid |
| 734 | Gabapentin |
| 735 | Galantamine |
| 736 | Galanthus spp. |
| 737 | Gallamine |
| 738 | Ganciclovir |
| 739 | Ganirelix |
| 740 | Gatifloxacin |
| 741 | Gefitinib |
| 742 | Gemcitabine |
| 743 | Gemeprost |
| 744 | Gemfibrozil |
| 745 | Gemifloxacin |
| 746 | Gentamicin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 747 | Gestodene |
| 748 | Gestonorone |
| 749 | Gestrinone |
| 750 | Gitalin |
| 751 | Glatiramer acetate |
| 752 | Glibenclamide |
| 753 | Glibornuride |
| 754 | Gliclazide |
| 755 | Glimepiride |
| 756 | Glipizide |
| 757 | Glisoxepide |
| 758 | Glutathione; for injection |
| 759 | Glyceryl trinitrate; for injection; for transdermal use; except in medicines containing 100 micrograms or less per litre or per kilogram |
| 760 | Glycopyrronium; for injection |
| 761 | Glymidine |
| 762 | Gonadorelin |
| 763 | Gonadotrophic hormones |
| 764 | Goserelin |
| 765 | Gramicidin |
| 766 | Granisetron |
| 767 | Grepafloxacin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 768 | Griseofulvin |
| 769 | Guaiphenesin; for oral use in medicines containing more than 2% or 200 milligrams per dose form |
| 770 | Guanabenz |
| 771 | Guanethidine |
| 772 | Hachimycin |
| 773 | Haematin |
| 774 | Haemophilus influenzae vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds |
| 775 | Halcinonide |
| 776 | Halofantrine |
| 777 | Halofenate |
| 778 | Haloperidol; except in medicines containing 1 milligram or less per litre or per kilogram |
| 779 | Halothane |
| 780 | Halquinol; for internal use |
| 781 | Heliotropium spp.; at all strengths |
| 782 | Hemerocallis |
| 783 | Heparins; for internal use |
| 784 | Hepatitis A vaccine |
| 785 | Hepatitis B vaccine |
| 786 | Hetacillin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 787 | Hexachlorophane; in medicines containing more than 3% |
| 788 | Hexamethonium |
| 789 | Hexetidine; for internal use |
| 790 | Hexobendine |
| 791 | Hexocyclium |
| 792 | Hexoprenaline |
| 793 | Histamine; in medicines containing more than 0.5% |
| 794 | Homatropine |
| 795 | Human protein C |
| 796 | Hyaluronic acid; in injections or implants for tissue augmentation or cosmetic use |
| 797 | Hydralazine |
| 798 | Hydrargaphen |
| 799 | Hydrochlorothiazide |
| 800 | Hydrocortisone; except when specified elsewhere in this schedule |
| 801 | Hydrocyanic acid; except when specified elsewhere in this schedule; except in medicines containing 1 microgram or less per litre or per kilogram |
| 802 | Hydroflumethiazide |
| 803 | Hydroquinone; except in medicines for external use containing 2% or less |
| 804 | Hydroxychloroquine |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 805 | Hydroxyephedrine |
| 806 | Hydroxyphenamate |
| 807 | Hydroxyprogesterone |
| 808 | Hydroxystenozol |
| 809 | Hydroxyurea |
| 810 | Hydroxyzine |
| 811 | Hylan polymer; in injections or implants for tissue augmentation or cosmetic use |
| 812 | Hyoscine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram |
| 813 | Hyoscine butylbromide; except when specified elsewhere in this schedule |
| 814 | Hyoscyamine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram |
| 815 | Hyoscyamus niger; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less of total solanaceous alkaloids per litre or per kilogram |
| 816 | Hypothalamic releasing factors |
| 817 | Hypromellose; for injection except in intraocular viscoelastic products |
| 818 | Ibandronic acid |
| 819 | Ibritumomab tiuxetan |
| 820 | Ibufenac |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 821 | Ibuprofen; except when specified elsewhere in this schedule |
| 822 | Ibuterol |
| 823 | Ibutilide |
| 824 | Idarubicin |
| 825 | Idoxuridine; except for dermal use in medicines containing 0.5% or less |
| 826 | Ifosfamide |
| 827 | Iloprost |
| 828 | Imatinib |
| 829 | Imiglucerase |
| 830 | Imipenem |
| 831 | Imipramine |
| 832 | Imiquimod |
| 833 | Immunoglobulins |
| 834 | Indapamide |
| 835 | Indinavir |
| 836 | Indomethacin; except for external use in medicines containing 1% or less; except in medicines containing 1 milligram or less per litre or per kilogram |
| 837 | Indoprofen |
| 838 | Indoramin |
| 839 | Infliximab |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 840 | Influenza and coryza vaccines; for injection; for nasal use |
| 841 | Insulins |
| 842 | Interferons |
| 843 | Interleukins |
| 844 | Iodothiouracil |
| 845 | Ipecacuanha; in medicines containing more than 0.2% of emetine |
| 846 | Ipratropium; except for nasal use |
| 847 | Iprindole |
| 848 | Iproniazid |
| 849 | Irbesartan |
| 850 | Irinotecan |
| 851 | Iron; for injection except in parenteral nutrition replacement preparations |
| 852 | Isoaminile |
| 853 | Isoamyl nitrite |
| 854 | Isobutyl nitrite |
| 855 | Isocarboxazid |
| 856 | Isoconazole; except when specified elsewhere in this schedule |
| 857 | Isoetarine |
| 858 | Isoflurane |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 859 | Isometheptene |
| 860 | Isoniazid |
| 861 | Isoprenaline |
| 862 | Isoprinosine |
| 863 | Isopropamide; except for dermal use in preparations containing 2% or less |
| 864 | Isosorbide dinitrate |
| 865 | Isosorbide mononitrate |
| 866 | Isotretinoin |
| 867 | Isoxicam |
| 868 | Isoxsuprine |
| 869 | Isradipine |
| 870 | Itraconazole |
| 871 | Ivermectin |
| 872 | Juniperus sabina; at all strengths |
| 873 | Kanamycin |
| 874 | Ketamine |
| 875 | Ketanserin |
| 876 | Ketoconazole; except for dermal use |
| 877 | Ketoprofen; except when specified elsewhere in this schedule |
| 878 | Ketorolac |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 879 | Ketotifen; except for ophthalmic use in medicines containing 0.025% or less |
| 880 | Khellin |
| 881 | Labetalol |
| 882 | Lacidipine |
| 883 | Lamivudine |
| 884 | Lamotrigine |
| 885 | Lanatosides |
| 886 | Lanreotide |
| 887 | Lansoprazole |
| 888 | Laronidase-rch |
| 889 | L-asparaginase |
| 890 | Latamoxef |
| 891 | Latanoprost |
| 892 | Laudexium |
| 893 | Lauromacrogol; for injection |
| 894 | Lead |
| 895 | Leflunomide |
| 896 | Lenograstim |
| 897 | Lepirudin |
| 898 | Leptazol |
| 899 | Lercanidipine |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 900 | Letrozole |
| 901 | Leucovorin; for injection |
| 902 | Leuprorelin |
| 903 | Levallorphan |
| 904 | Levamisole |
| 905 | Levetiracetam |
| 906 | Levobunolol |
| 907 | Levobupivacaine |
| 908 | Levocabastine; except for nasal or ophthalmic use |
| 909 | Levocetirizine; except for oral use |
| 910 | Levodopa |
| 911 | Levonorgestrel; except when used for emergency contraception and when sold by nurses or pharmacists recognised by their respective professional bodies as having competency in the field of sexual and reproductive health |
| 912 | Levosimendan |
| 913 | Lidoflazine |
| 914 | Lignocaine; for injection except when used as a local anaesthetic in practice by a nurse whose scope of practice permits the performance of general nursing functions or by a registered podiatrist or registered dental therapist; for oral use except in throat lozenges containing 30 milligrams or less per dose form; for ophthalmic use except when used in practice by a registered optometrist; for external use in medicines containing more than 10% |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 915 | Ligularia dentata; at all strengths |
| 916 | Lincomycin |
| 917 | Lindane; except for external use in medicines containing 2% or less |
| 918 | Linezolid |
| 919 | Liothyronine |
| 920 | Liquorice, deglycyrrhizinised |
| 921 | Lisinopril |
| 922 | Lisuride |
| 923 | Lithium; except for dermal use in medicines containing 1% or less |
| 924 | Lofexidine |
| 925 | Lomefloxacin |
| 926 | Lomustine |
| 927 | Loperamide; in packs containing more than 20 tablets or capsules |
| 928 | Lopinavir |
| 929 | Loracarbef |
| 930 | Loratadine; except for oral use |
| 931 | Losartan |
| 932 | Loxapine |
| 933 | Lumefantrine |
| 934 | Lumiracoxib |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 935 | Luteinising hormone |
| 936 | Lymecycline |
| 937 | Mafenide |
| 938 | Mannomustine |
| 939 | Maprotiline |
| 940 | Measles vaccine |
| 941 | Mebanazine |
| 942 | Mebeverine |
| 943 | Mebhydrolin |
| 944 | Mebolazine |
| 945 | Mebutamate |
| 946 | Mecamylamine |
| 947 | Mecasermin |
| 948 | Mecillinam |
| 949 | Meclocycline |
| 950 | Meclofenamate |
| 951 | Meclofenoxate |
| 952 | Meclozine; except when specified elsewhere in this schedule |
| 953 | Medigoxin |
| 954 | Medroxyprogesterone |
| 955 | Medrysone |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 956 | Mefenamic acid; except when specified elsewhere in this schedule |
| 957 | Mefloquine |
| 958 | Mefruside |
| 959 | Megestrol |
| 960 | Melagatran |
| 961 | Melatonin |
| 962 | Melengestrol |
| 963 | Melia azedarach; at all strengths |
| 964 | Meloxicam |
| 965 | Melphalan |
| 966 | Memantine |
| 967 | Meningococcal vaccine |
| 968 | Menotrophin |
| 969 | Mepacrine |
| 970 | Mepenzolate |
| 971 | Mephenesin |
| 972 | Mephentermine |
| 973 | Mepindolol |
| 974 | Mepitiostane |
| 975 | Mepivacaine |
| 976 | Meptazinol |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 977 | Mepyramine; except for dermal use |
| 978 | Mequitazine |
| 979 | Mercaptomerin |
| 980 | Mercaptopurine |
| 981 | Mercury; except when specified elsewhere in this schedule; except in medicines containing 1 milligram per litre or per kilogram |
| 982 | Meropenem |
| 983 | Mersalyl |
| 984 | Mesabolone |
| 985 | Mesalazine |
| 986 | Mesna |
| 987 | Mestanolone |
| 988 | Mesterolone |
| 989 | Mestranol |
| 990 | Metandienone |
| 991 | Metaraminol |
| 992 | Metenolone |
| 993 | Metergoline |
| 994 | Metformin |
| 995 | Methacholine |
| 996 | Methacycline |
| 997 | Methallenoestril |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 998 | Methandienone |
| 999 | Methandriol |
| 1000 | Methanthelinium |
| 1001 | Methazolamide |
| 1002 | Methdilazine; except for oral use |
| 1003 | Methicillin |
| 1004 | Methimazole |
| 1005 | Methisazone |
| 1006 | Methixene |
| 1007 | Methocarbamol |
| 1008 | Methohexitone |
| 1009 | Methoin |
| 1010 | Methotrexate |
| 1011 | Methotrimeprazine |
| 1012 | Methoxamine; except for external use |
| 1013 | Methoxsalen |
| 1014 | Methoxyflurane |
| 1015 | Methsuximide |
| 1016 | Methyclothiazide |
| 1017 | Methyl aminolevulinate |
| 1018 | Methyl androstanolone |
| 1019 | Methyl clostebol |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1020 | Methyl mercury; except in medicines containing 300 micrograms or less per litre or per kilogram |
| 1021 | Methyl trienolone |
| 1022 | Methyldopa |
| 1023 | Methylene blue; for injection |
| 1024 | Methylergometrine |
| 1025 | Methylpentynol |
| 1026 | Methylprednisolone |
| 1027 | Methyltestosterone |
| 1028 | Methylthiouracil |
| 1029 | Methysergide |
| 1030 | Metoclopramide; except when specified elsewhere in this schedule |
| 1031 | Metolazone |
| 1032 | Metoprolol |
| 1033 | Metribolone |
| 1034 | Metrifonate |
| 1035 | Metronidazole |
| 1036 | Metyrapone |
| 1037 | Mexiletine |
| 1038 | Mezlocillin |
| 1039 | Mianserin |
| 1040 | Mibefradil |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1041 | Mibolerone |
| 1042 | Miconazole; except when specified elsewhere in this schedule |
| 1043 | Midodrine |
| 1044 | Mifepristone |
| 1045 | Miglitol |
| 1046 | Milrinone |
| 1047 | Minocycline |
| 1048 | Minoxidil; except for external use in medicines containing 5% or less |
| 1049 | Mirtazapine |
| 1050 | Misoprostol |
| 1051 | Mitobronitol |
| 1052 | Mitomycin |
| 1053 | Mitoxantrone |
| 1054 | Mitragyna speciosa |
| 1055 | Mitragynine |
| 1056 | Mivacurium |
| 1057 | Moclobemide |
| 1058 | Modafinil |
| 1059 | Molgramostim |
| 1060 | Molindone |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1061 | Mometasone; except when specified elsewhere in this schedule |
| 1062 | Monobenzone |
| 1063 | Monoclonal antibodies; except in pregnancy test kits |
| 1064 | Montelukast |
| 1065 | Moperone |
| 1066 | Morazone |
| 1067 | Moricizine |
| 1068 | Motrazepam |
| 1069 | Motretinide |
| 1070 | Moxifloxacin |
| 1071 | Mumps vaccine |
| 1072 | Mupirocin |
| 1073 | Muraglitazar |
| 1074 | Muromonab |
| 1075 | Mustine |
| 1076 | Mycophenolic acid |
| 1077 | Nabumetone |
| 1078 | Nadolol |
| 1079 | Nadroparin |
| 1080 | Nafarelin |
| 1081 | Naftidrofuryl |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1082 | Nalbuphine |
| 1083 | Nalidixic acid |
| 1084 | Nalorphine |
| 1085 | Naloxone |
| 1086 | Naltrexone |
| 1087 | Nandrolone |
| 1088 | Naproxen; except when specified elsewhere in this schedule |
| 1089 | Naratriptan |
| 1090 | Natamycin |
| 1091 | Nateglinide |
| 1092 | Nebacumab |
| 1093 | Nedocromil |
| 1094 | Nefazodone |
| 1095 | Nefopam |
| 1096 | Nelfinavir |
| 1097 | Neomycin |
| 1098 | Neostigmine |
| 1099 | Nerium oleander |
| 1100 | Nesiritide |
| 1101 | Netilmicin |
| 1102 | Nevirapine |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1103 | Nialamide |
| 1104 | Nicardipine |
| 1105 | Nicergoline |
| 1106 | Nicofuranose |
| 1107 | Nicorandil |
| 1108 | Nicotine; for nasal use except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner; in medicines other than for smoking cessation |
| 1109 | Nicoumalone |
| 1110 | Nifedipine |
| 1111 | Nifenazone |
| 1112 | Nikethamide |
| 1113 | Nilutamide |
| 1114 | Nimesulide |
| 1115 | Nimodipine |
| 1116 | Nimorazole |
| 1117 | Niridazole |
| 1118 | Nisoldipine |
| 1119 | Nitrendipine |
| 1120 | Nitrofurantoin |
| 1121 | Nitrofurazone |
| 1122 | Nitrous oxide |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1123 | Nitroxoline |
| 1124 | Nizatidine; except when specified elsewhere in this schedule |
| 1125 | Nomifensine |
| 1126 | Noradrenaline |
| 1127 | Norandrostenolone |
| 1128 | Norbolethone |
| 1129 | Norclostebol |
| 1130 | Norelgestromin |
| 1131 | Norethandrolone |
| 1132 | Norethisterone |
| 1133 | Norfloxacin |
| 1134 | Norgestrel |
| 1135 | Normethandrone |
| 1136 | Nortriptyline |
| 1137 | Noxiptyline |
| 1138 | Nux vomica; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine |
| 1139 | Nystatin; except when specified elsewhere in this schedule |
| 1140 | Octamylamine |
| 1141 | Octatropine |
| 1142 | Octocog alfa |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1143 | Octreotide |
| 1144 | Octyl nitrite |
| 1145 | Oestradiol; except in medicines containing 10 micrograms or less per litre or per kilogram |
| 1146 | Oestriol |
| 1147 | Oestrogens |
| 1148 | Oestrone; except in medicines containing 1 milligram or less per litre or per kilogram |
| 1149 | Ofloxacin |
| 1150 | Olanzapine |
| 1151 | Oleandomycin |
| 1152 | Oleandrin |
| 1153 | Olopatadine |
| 1154 | Olsalazine |
| 1155 | Omalizumab |
| 1156 | Omeprazole |
| 1157 | Ondansetron |
| 1158 | Opipramol |
| 1159 | Orciprenaline |
| 1160 | Orlistat; except in medicines for weight control containing 120 milligrams or less per dose form |
| 1161 | Ornidazole |
| 1162 | Ornipressin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1163 | Orphenadrine |
| 1164 | Orthopterin |
| 1165 | Oseltamivir |
| 1166 | Ouabain |
| 1167 | Ovandrotone |
| 1168 | Oxabolone |
| 1169 | Oxacillin |
| 1170 | Oxaliplatin |
| 1171 | Oxandrolone |
| 1172 | Oxaprozin |
| 1173 | Oxcarbazepine |
| 1174 | Oxedrine; in medicines containing more than 30 milligrams per recommended daily dose |
| 1175 | Oxetacaine; except for internal use |
| 1176 | Oxitropium |
| 1177 | Oxolamine |
| 1178 | Oxolinic acid |
| 1179 | Oxpentifylline |
| 1180 | Oxprenolol |
| 1181 | Oxybuprocaine; except when used in practice by a registered optometrist |
| 1182 | Oxybutynin |
| 1183 | Oxymesterone |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1184 | Oxymetholone |
| 1185 | Oxyphenbutazone |
| 1186 | Oxyphencyclimine |
| 1187 | Oxyphenisatin; at all strengths |
| 1188 | Oxyphenonium |
| 1189 | Oxytetracycline |
| 1190 | Oxytocin; except in medicines containing 1 microgram or less per litre or per kilogram |
| 1191 | Paclitaxel |
| 1192 | Palivizumab |
| 1193 | Palonosetron |
| 1194 | Pamaquin |
| 1195 | Pamidronic acid |
| 1196 | Pancreatic enzymes; in medicines containing more than 20 000 BP units of lipase activity |
| 1197 | Pancuronium |
| 1198 | Pantoprazole |
| 1199 | Papaverine; for injection |
| 1200 | Paracetamol; in tablets or capsules containing more than 500 milligrams per dose unit; in powder form containing more than 1 000 milligrams per sachet |
| 1201 | Paraldehyde |
| 1202 | Paramethadione |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1203 | Paramethasone |
| 1204 | Parecoxib |
| 1205 | Paromomycin |
| 1206 | Paroxetine |
| 1207 | Pecazine |
| 1208 | Pefloxacin |
| 1209 | Pegaptanib |
| 1210 | Pegfilgrastim |
| 1211 | Peginterferon |
| 1212 | Pemetrexed |
| 1213 | Pemoline |
| 1214 | Pempidine |
| 1215 | Penbutolol |
| 1216 | Penciclovir; except for external use for the treatment of herpes labialis |
| 1217 | Penicillamine |
| 1218 | Pentaerythrityl tetranitrate |
| 1219 | Pentagastrin |
| 1220 | Pentamethonium |
| 1221 | Pentamidine |
| 1222 | Pentazocine |
| 1223 | Penthienate |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1224 | Pentolinium |
| 1225 | Pentosan polysulfate sodium |
| 1226 | Pentoxifylline |
| 1227 | Pergolide |
| 1228 | Perhexiline |
| 1229 | Pericyazine |
| 1230 | Perindopril |
| 1231 | Permethrin; in medicines containing more than 5% |
| 1232 | Perphenazine |
| 1233 | Pertussis antigen |
| 1234 | Phenacemide |
| 1235 | Phenacetin |
| 1236 | Phenaglycodol |
| 1237 | Phenazone; except for external use |
| 1238 | Phenazopyridine |
| 1239 | Phenelzine |
| 1240 | Pheneticillin |
| 1241 | Phenformin |
| 1242 | Phenglutarimide |
| 1243 | Phenindione |
| 1244 | Pheniramine; except when specified elsewhere in this schedule |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1245 | Phenisatin |
| 1246 | Phenol; for injection |
| 1247 | Phenolphthalein |
| 1248 | Phenoxybenzamine |
| 1249 | Phenoxymethylpenicillin |
| 1250 | Phensuximide |
| 1251 | Phenthimentonium |
| 1252 | Phentolamine |
| 1253 | Phenylbutazone |
| 1254 | Phenylephrine; except when specified elsewhere in this schedule |
| 1255 | Phenylpropanolamine |
| 1256 | Phenyltoloxamine; except for oral use |
| 1257 | Phenytoin |
| 1258 | Phthalylsulphathiazole |
| 1259 | Physostigmine |
| 1260 | Picrotoxin |
| 1261 | Pilocarpine; except in medicines containing 0.025% or less |
| 1262 | Pimecrolimus |
| 1263 | Pimozide |
| 1264 | Pinacidil |
| 1265 | Pindolol |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1266 | Pioglitazone |
| 1267 | Pipecuronium |
| 1268 | Pipemidic acid |
| 1269 | Pipenzolate |
| 1270 | Piperacillin |
| 1271 | Piperidine |
| 1272 | Piperidolate |
| 1273 | Pipobroman |
| 1274 | Pipothiazine |
| 1275 | Piracetam |
| 1276 | Pirbuterol |
| 1277 | Pirenzepine |
| 1278 | Piretanide |
| 1279 | Pirfenoxone |
| 1280 | Piroxicam; except for external use |
| 1281 | Pirprofen |
| 1282 | Pivampicillin |
| 1283 | Pizotifen |
| 1284 | Plasma |
| 1285 | Plasma protein fraction |
| 1286 | Plasmin |
| 1287 | Plasminogen activator |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1288 | Platelets |
| 1289 | Plicamycin |
| 1290 | Pneumococcal vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds |
| 1291 | Podophyllotoxin; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 1%; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |
| 1292 | Podophyllum emodi; for internal use; for external use for the treatment of of anogenital warts; for other external use in medecines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |
| 1293 | Podophyllum peltatum; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |
| 1294 | Polidexide |
| 1295 | Poliomyelitis vaccine |
| 1296 | Polyacrylamide; in injections or implants for tissue augmentation or cosmetic use |
| 1297 | Polyestradiol |
| 1298 | Polylactic acid; in injections or implants for tissue augmentation or cosmetic use |
| 1299 | Polymyxin |
| 1300 | Polythiazide |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1301 | Poractant alpha |
| 1302 | Posaconazole |
| 1303 | Potassium bromide |
| 1304 | Potassium perchlorate |
| 1305 | Practolol |
| 1306 | Pralidoxime |
| 1307 | Pramipexole |
| 1308 | Pramocaine |
| 1309 | Prampine |
| 1310 | Prasterone |
| 1311 | Pravastatin |
| 1312 | Praziquantel |
| 1313 | Prazosin |
| 1314 | Prednisolone |
| 1315 | Prednisone |
| 1316 | Pregabalin |
| 1317 | Pregnenolone |
| 1318 | Prenalterol |
| 1319 | Prenylamine |
| 1320 | Prilocaine; for injection except when used as a local anaesthetic in practice by a registered dental therapist; except when specified elsewhere in this schedule |
| 1321 | Primaquine |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1322 | Primidone |
| 1323 | Probenecid |
| 1324 | Probucol |
| 1325 | Procainamide |
| 1326 | Procaine |
| 1327 | Procaine penicillin |
| 1328 | Procarbazine |
| 1329 | Prochlorperazine; except when specified elsewhere in this schedule; except when sold for the treatment of nausea associated with emergency contraception by pharmacists or nurses accredited to sell levonorgestrel for emergency contraception |
| 1330 | Procyclidine; except for dermal use in medicines containing 0.5% or less |
| 1331 | Progesterone; except in medicines containing 1 milligram or less per litre or per kilogram |
| 1332 | Progestogens |
| 1333 | Proglumide |
| 1334 | Proguanil |
| 1335 | Prolintane |
| 1336 | Promazine |
| 1337 | Promethazine; except when specified elsewhere in this schedule |
| 1338 | Promoxolane |
| 1339 | Propafenone |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1340 | Propamidine; except for ophthalmic use |
| 1341 | Propanidid |
| 1342 | Propantheline |
| 1343 | Propetandrol |
| 1344 | Propionibacterium acnes |
| 1345 | Propofol |
| 1346 | Propranolol; except in medicines containing 1 milligram or less per litre or per kilogram |
| 1347 | Propylthiouracil |
| 1348 | Propyphenazone |
| 1349 | Proquazone |
| 1350 | Proscillaridin |
| 1351 | Prostaglandins |
| 1352 | Protamine sulphate |
| 1353 | Prothionamide |
| 1354 | Prothipendyl |
| 1355 | Protirelin |
| 1356 | Protoveratrines |
| 1357 | Protriptyline |
| 1358 | Proxymetacaine; except when used in practice by a registered optometrist |
| 1359 | Pulmonaria spp.; at all strengths |
| 1360 | Pyrazinamide |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1361 | Pyridinolcarbamate |
| 1362 | Pyridostigmine |
| 1363 | Pyridoxine; in medicines containing more than 200 milligrams per recommended daily dose |
| 1364 | Pyrimethamine |
| 1365 | Quazepam |
| 1366 | Quebracho |
| 1367 | Quetiapine |
| 1368 | Quinagolide |
| 1369 | Quinapril |
| 1370 | Quinbolone |
| 1371 | Quinethazone |
| 1372 | Quinidine |
| 1373 | Quinine; except in medicines containing 50 milligrams or less per recommended daily dose |
| 1374 | Quinisocaine |
| 1375 | Quinupristin |
| 1376 | Rabeprazole |
| 1377 | Rabies vaccine |
| 1378 | Raloxifene |
| 1379 | Raltitrexed |
| 1380 | Ramipril |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1381 | Ranitidine; except when specified elsewhere in this schedule |
| 1382 | Rapacuronium |
| 1383 | Rasburicase |
| 1384 | Rauwolfia serpentine |
| 1385 | Rauwolfia vomitoria |
| 1386 | Razoxane |
| 1387 | Reboxetine |
| 1388 | Remoxipride |
| 1389 | Repaglinide |
| 1390 | Reserpine |
| 1391 | Reteplase |
| 1392 | Ribavirin |
| 1393 | Rifabutin |
| 1394 | Rifampicin |
| 1395 | Rifamycin |
| 1396 | Rifapentine |
| 1397 | Rimiterol |
| 1398 | Risedronic acid |
| 1399 | Risperidone |
| 1400 | Ritodrine |
| 1401 | Ritonavir |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1402 | Rituximab |
| 1403 | Rivastigmine |
| 1404 | Rizatriptan |
| 1405 | Rocuronium |
| 1406 | Rofecoxib |
| 1407 | Rolitetracycline |
| 1408 | Ropinirole |
| 1409 | Ropivacaine |
| 1410 | Rosiglitazone |
| 1411 | Rosoxacin |
| 1412 | Rosuvastatin |
| 1413 | Roxibolone |
| 1414 | Roxithromycin |
| 1415 | Rubella vaccine |
| 1416 | Sabadilla; except when specified elsewhere in this schedule |
| 1417 | Safrole; for internal use except in medicines containing 0.1% or less |
| 1418 | Salbutamol |
| 1419 | Salcatonin |
| 1420 | Salmeterol |
| 1421 | Saquinavir |
| 1422 | Selegiline |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1423 | Sermorelin |
| 1424 | Sertindole |
| 1425 | Sertraline |
| 1426 | Serum, dried human |
| 1427 | Sevelamer |
| 1428 | Sevoflurane |
| 1429 | Sex hormones and all substances having sex hormone activity |
| 1430 | Sialoepoetin |
| 1431 | Sibutramine |
| 1432 | Silandrone |
| 1433 | Sildenafil |
| 1434 | Silicones; for injection |
| 1435 | Silver sulfadiazine; except for external use in packs containing 50 grams or less |
| 1436 | Simvastatin |
| 1437 | Sirolimus |
| 1438 | Sisomicin |
| 1439 | Sodium bromide |
| 1440 | Sodium cellulose phosphate |
| 1441 | Sodium cromoglycate; except for nasal and ophthalmic use |
| 1442 | Sodium morrhuate; for injection |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1443 | Sodium nitroprusside |
| 1444 | Sodium phosphate; in oral laxative preparations |
| 1445 | Sodium polystyrene sulphonate |
| 1446 | Sodium tetradecyl sulphate; for injection |
| 1447 | Solasodine |
| 1448 | Solifenacin |
| 1449 | Somatostatin |
| 1450 | Somatropin |
| 1451 | Sontoquine |
| 1452 | Sotalol |
| 1453 | Sparfloxacin |
| 1454 | Sparteine |
| 1455 | Spectinomycin |
| 1456 | Spiramycin |
| 1457 | Spirapril |
| 1458 | Spironolactone |
| 1459 | Stanolone |
| 1460 | Stanozolol |
| 1461 | Stavudine |
| 1462 | Stenbolone |
| 1463 | Steroid hormones |
| 1464 | Stilboestrol |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1465 | Streptodornase |
| 1466 | Streptokinase |
| 1467 | Streptomycin |
| 1468 | Strontium ranelate |
| 1469 | Strophanthin |
| 1470 | Strophanthin-k |
| 1471 | Strophanthus |
| 1472 | Strychnos spp.; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine |
| 1473 | Styramate |
| 1474 | Sulbactam |
| 1475 | Sulconazole; except for dermal use |
| 1476 | Sulfacetamide; except for ophthalmic use in medicines containing 10% or less |
| 1477 | Sulfadiazine; except silver sulfadiazine for external use in pack sizes containing 50 grams or less |
| 1478 | Sulfadimethoxine |
| 1479 | Sulfadimidine |
| 1480 | Sulfadoxine |
| 1481 | Sulfafurazole |
| 1482 | Sulfaguanidine |
| 1483 | Sulfamerazine |
| 1484 | Sulfamethizole |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1485 | Sulfamethoxazole |
| 1486 | Sulfamethoxydiazine |
| 1487 | Sulfamethoxypyridazine |
| 1488 | Sulfametrole |
| 1489 | Sulfamonomethoxine |
| 1490 | Sulfamoxole |
| 1491 | Sulfaphenazole |
| 1492 | Sulfapyridine |
| 1493 | Sulfasalazine |
| 1494 | Sulfathiazole |
| 1495 | Sulfatroxazole |
| 1496 | Sulfinpyrazone |
| 1497 | Sulfomyxin |
| 1498 | Sulfonmethane |
| 1499 | Sulindac |
| 1500 | Sultamicillin |
| 1501 | Sulthiame |
| 1502 | Sumatriptan |
| 1503 | Suprofen |
| 1504 | Sutilains |
| 1505 | Suxamethonium |
| 1506 | Suxethonium |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1507 | T cell receptor antibody |
| 1508 | Tacrine |
| 1509 | Tacrolimus |
| 1510 | Tadalafil |
| 1511 | Tamoxifen |
| 1512 | Tamsulosin |
| 1513 | Tanacetum vulgare; in medicines containing more than 0.8% of oil of tansy |
| 1514 | Tasonermin |
| 1515 | Tazarotene |
| 1516 | Tazobactam |
| 1517 | Tegafur |
| 1518 | Tegaserod |
| 1519 | Teicoplanin |
| 1520 | Telithromycin |
| 1521 | Telmisartan |
| 1522 | Temozolomide |
| 1523 | Tenecteplase |
| 1524 | Teniposide |
| 1525 | Tenofovir |
| 1526 | Tenoxicam |
| 1527 | Terazosin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1528 | Terbinafine; except when specified elsewhere in this schedule |
| 1529 | Terbutaline |
| 1530 | Terfenadine |
| 1531 | Teriparatide |
| 1532 | Terlipressin |
| 1533 | Terodiline |
| 1534 | Teropterin |
| 1535 | Testolactone |
| 1536 | Testosterone; except in medicines containing 1 milligram or less per litre or per kilogram |
| 1537 | Tetanus antitoxin |
| 1538 | Tetanus toxoid |
| 1539 | Tetrabenazine |
| 1540 | Tetracosactrin |
| 1541 | Tetracycline |
| 1542 | Tetraethylammonium |
| 1543 | Tetroxoprim |
| 1544 | Thenyldiamine; except when specified elsewhere in this schedule |
| 1545 | Theophylline; except in liquid form for oral use in medicines containing 2% or less |
| 1546 | Thevetia peruviana |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1547 | Thevetin |
| 1548 | Thiambutosine |
| 1549 | Thiazosulfone |
| 1550 | Thiethylperazine |
| 1551 | Thioacetazone |
| 1552 | Thiocarlide |
| 1553 | Thioguanine |
| 1554 | Thiomesterone |
| 1555 | Thiopentone |
| 1556 | Thiopropazate |
| 1557 | Thioproperazine |
| 1558 | Thioridazine |
| 1559 | Thiotepa |
| 1560 | Thiothixene |
| 1561 | Thiouracil |
| 1562 | Thiourea; except in medicines containing 0.1% or less |
| 1563 | Thrombin |
| 1564 | Thymoxamine |
| 1565 | Thyroid |
| 1566 | Thyrotrophin |
| 1567 | Thyrotrophin-releasing factor |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1568 | Thyroxine; except in medicines containing 10 micrograms or less per litre or per kilogram |
| 1569 | Tiagabine |
| 1570 | Tiaprofenic acid |
| 1571 | Tiaramide |
| 1572 | Tibolone |
| 1573 | Ticarcillin |
| 1574 | Ticlopidine |
| 1575 | Tiemonium |
| 1576 | Tienilic acid |
| 1577 | Tigecyline |
| 1578 | Tigloidine |
| 1579 | Tiletamine |
| 1580 | Tiludronic acid |
| 1581 | Timolol |
| 1582 | Tinidazole |
| 1583 | Tinzaparin |
| 1584 | Tioconazole; except when specified elsewhere in this schedule |
| 1585 | Tiotropium |
| 1586 | Tirilazad |
| 1587 | Tirofiban |
| 1588 | Tobramycin |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1589 | Tocainide |
| 1590 | Tolazamide |
| 1591 | Tolazoline |
| 1592 | Tolbutamide |
| 1593 | Tolcapone |
| 1594 | Tolfenamic acid |
| 1595 | Tolmetin |
| 1596 | Tolonium |
| 1597 | Tolrestat |
| 1598 | Tolterodine |
| 1599 | Topiramate |
| 1600 | Topotecan |
| 1601 | Torasemide |
| 1602 | Toremifene |
| 1603 | Toxoids; for injection |
| 1604 | Tramadol |
| 1605 | Trandolapril |
| 1606 | Tranexamic acid |
| 1607 | Tranylcypromine |
| 1608 | Trastuzumab |
| 1609 | Travoprost |
| 1610 | Trazodone |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1611 | Trenbolone |
| 1612 | Treosulphan |
| 1613 | Treprostinil |
| 1614 | Trestolone |
| 1615 | Tretamine |
| 1616 | Tretinoin |
| 1617 | Triacetyloleandomycin |
| 1618 | Triamcinolone; except when specified elsewhere in this schedule |
| 1619 | Triamterene |
| 1620 | Triaziquone |
| 1621 | Trichlormethiazide |
| 1622 | Trichloroacetic acid; except for external use in medicines containing 12.5% or less for the treatment of warts other than anogenital warts |
| 1623 | Trichloroethylene |
| 1624 | Trichodesma africana; at all strengths |
| 1625 | Triclofos |
| 1626 | Tricyclamol |
| 1627 | Tridihexethyl |
| 1628 | Triethylene thiophosphoramide |
| 1629 | Trifluoperazine |
| 1630 | Trifluperidol |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1631 | Triflupromazine |
| 1632 | Trimeprazine; except when specified elsewhere in this schedule |
| 1633 | Trimetaphan |
| 1634 | Trimethoprim |
| 1635 | Trimipramine |
| 1636 | Trimustine |
| 1637 | Trioxysalen |
| 1638 | Triparanol; at all strengths |
| 1639 | Triple antigen vaccine |
| 1640 | Triprolidine; except when specified elsewhere in this schedule |
| 1641 | Triptorelin |
| 1642 | Troglitazone |
| 1643 | Trometamol; for injection in medicines containing more than 3% |
| 1644 | Tropicamide; except when used in practice by a registered optometrist |
| 1645 | Tropisetron |
| 1646 | Trovafloxacin |
| 1647 | Troxidone |
| 1648 | Tryptophan; in medicines containing more than 100 milligrams per recommended daily dose except in parenteral nutrition replacement preparations |

Schedule 1—*continued*
1—*continued*

1649 Tubocurarine

1650 Tulobuterol

1651 Typhoid vaccine

1652 Unoprostone

1653 Uracil

1654 Urapidil

1655 Urethane

1656 Urofollitropin

1657 Urokinase

1658 Ursodeoxycholic acid

1659 Vaccines

1660 Valaciclovir

1661 Valdecoxib

1662 Valganciclovir

1663 Valnoctamide

1664 Valproic acid

1665 Valsartan

1666 Vancomycin

1667 Vardenafil

1668 Varicella vaccine

1669 Vasopressin

1670 Vecuronium

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1671 | Venlafaxine |
| 1672 | Verapamil |
| 1673 | Veratrum |
| 1674 | Verteporfin |
| 1675 | Vidarabine |
| 1676 | Vigabatrin |
| 1677 | Viloxazine |
| 1678 | Vinblastine |
| 1679 | Vincamine |
| 1680 | Vincristine |
| 1681 | Vindesine |
| 1682 | Vinorelbine |
| 1683 | Vinyl ether |
| 1684 | Viprynium |
| 1685 | Virginiamycin |
| 1686 | Visnadine |
| 1687 | Vitamin A; in medicines containing more than 3 000 micrograms of retinol equivalents per recommended daily dose except in parenteral nutriton replacement preparations |
| 1688 | Vitamin D; in medicines containing more than 25 micrograms per recommended daily dose except in parenteral nutrition replacement preparations |
| 1689 | Voriconazole |

Schedule 1—*continued*
1—*continued*

| | |
|---|---|
| 1690 | Warfarin |
| 1691 | Xamoterol |
| 1692 | Xanthinol nicotinate |
| 1693 | Ximelagatran |
| 1694 | Xipamide |
| 1695 | Yohimbine |
| 1696 | Zafirlukast |
| 1697 | Zalcitabine |
| 1698 | Zaleplon |
| 1699 | Zanamivir |
| 1700 | Zidovudine |
| 1701 | Zimeldine |
| 1702 | Zinc; for internal use in medicines containing more than 25 milligrams per recommended daily dose except in parenteral nutrition replacement preparations |
| 1703 | Ziprasidone |
| 1704 | Zoledronic acid |
| 1705 | Zolmitriptan |
| 1706 | Zolpidem |
| 1707 | Zopiclone |
| 1708 | Zoxazolamine |
| 1709 | Zuclopenthixol |

Schedule 1—*continued*

## 2
## Restricted medicines

| | |
|---|---|
| 1 | Adrenaline; in medicines containing 1 % or less and more than 0.02% |
| 2 | Alclometasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams which have received the consent of the Minister or the Director-General to their distribution as restricted medicines and are sold in the manufacturer's original pack |
| 3 | Auiinophylline; for oral use in liquid form in medicines containing 2% or less |
| 4 | Amorolfine; for external use in medicines containing more than 0.25 % |
| 5 | Amphotericin; for the treatment of oral candidiasis |
| 6 | Aspirin; in slow release forms; in enteric coated forms containing more than 300 milligrams per dose form |
| 7 | Azatadine; for oral use |
| 8 | Brompheniramine; for oral use; except when specified elsewhere in this schedule |

Schedule 1—*continued*
2—*continued*

| | |
|---|---|
| 9 | Buclizine; for oral use |
| 10 | Chlorbutol; in medicines containing more than 5% |
| 11 | Chlorpheniramine; for oral use; except when specified elsewhere in this schedule |
| 12 | Ciclopirox; for external use in medicines containing more than 2% |
| 13 | Cimetidine; in medicines which have received the consent of the Minister or the Director-General to their distribution as restricted medicines and which are sold in the manufacturer's original pack containing not more than 14 days' supply |
| 14 | Clemastine; for oral use |
| 15 | Clobetasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams which have received the consent of the Minister or the Director-General to their distribution as restricted medicines and are sold in the manufacturer's original pack |
| 16 | Clotrimazole; for vaginal use |
| 17 | Cyclizine; for oral use |

Schedule 1—*continued*
2—*continued*

| | |
|---|---|
| 18 | Cyproheptadine; for oral use |
| 19 | Dexchlorpheniramine; for oral use; except when specified elsewhere in this schedule |
| 20 | Di-iodohydroxy quinoline; for vaginal use |
| 21 | Diclofenac; in solid dose form in medicines containing 25 milligrams or less and more than 12.5 milligrams per dose form in packs containing not more than 30 tablets or capsules |
| 22 | Dimenhydrinate; for oral use; except when specified else-where in this schedule |
| 23 | Dimethindene; for oral use |
| 24 | Diphenhydramine; for oral use; except when specified elsewhere in this schedule |
| 25 | Diphenylpyraline; for oral use; except when specified else-where in this schedule |
| 26 | Dithranol |
| 27 | Doxylamine; for oral use; except when specified elsewhere in this schedule |
| 28 | Econazole; for vaginal use |
| 29 | Erythrityl tetranitrate |

Schedule 1—*continued*
2—*continued*

| | |
|---|---|
| 30 | Flavoxate |
| 31 | Fluconazole; for oral use in medicines which have received the consent of the Minister or the Director-General to their distribution as restricted medicines and are sold in the manufacturer's original pack containing 150 milligrams or less as a single dose for the treatment of vaginal candidiasis |
| 32 | Fluorides; in pastes, gels, or powders for cleaning the teeth containing more than 0.1% |
| 33 | Glucagon; except in medicines containing 100 micrograms or less per litre or per kilogram |
| 34 | Glyceryl trinitrate; for oral or sublingual use |
| 35 | Glycopyrronium; except for injection |
| 36 | Haemophilus influenzae vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds |

Schedule 1—*continued*
2—*continued*

| | |
|---|---|
| 37 | Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base with no other active ingredient except an antifungal and in a quantity of 30 grams or less or 30 millilitres or less per container; in rectal medicines containing 1% or less by weight of hydrocortisone base and in combination with a local anaesthetic and in a quantity of not more than 35 grams per container or 12 suppositories per pack |
| 38 | Hyoscine butylbromide; for oral use in medicines containing not more than 10 milligrams per dose form and in packs containing not more than 20 tablets or capsules |
| 39 | Inositol nicotinate |
| 40 | Isoconazole; for vaginal use |
| 41 | Ketoprofen; in solid dose form containing 25 milligrams or less per dose form in packs of not more than 30 capsules or tablets |

Schedule 1—*continued*
2—*continued*

| | |
|---|---|
| 42 | Ketotifen; for ophthalmic use in medicines containing 0.025% or less |
| 43 | Macrogols; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures |
| 44 | Malathion; for external use in medicines containing more than 2% |
| 45 | Mannityl hexanitrate |
| 46 | Methdilazine; for oral use |
| 47 | Metoclopramide; when compounded with paracetamol in packs of not more than 10 tablets or capsules for the treatment of nausea associated with migraine |
| 48 | Miconazole; for the treatment of oral candidiasis; for vaginal use |
| 49 | Nicotinamide; in medicines containing more than 100 milligrams per dose form |
| 50 | Nicotinic acid; in medicines containing more than 100 milligrams per dose form |
| 51 | Nicotinyl alcohol; in medicines containing more than 100 milligrams per dose form |

Schedule 1—*continued*
2—*continued*

| | |
|---|---|
| 52 | Nystatin; for the treatment of oral candidiasis; for vaginal use |
| 53 | Orlistat; in medicines for weight control containing 120 milligrams or less per dose form |
| 54 | Oxiconazole; for vaginal use |
| 55 | Pheniramine; for oral use; except when specified elsewhere in this schedule |
| 56 | Phenyltoloxamine; for oral use |
| 57 | Pneumococcal vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds |
| 58 | Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 1% or less and more than 0.5%; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |
| 59 | Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |

Schedule 1—*continued*
2—*continued*

| | |
|---|---|
| 60 | Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |
| 61 | Prochlorperazine; in packs containing not more than 10 tablets for the treatment of nausea associated with migraine |
| 62 | Promethazine; for oral use; except when specified elsewhere in this schedule |
| 63 | Salicylic acid; for external use in medicines containing more than 40% |
| 64 | Santonin |
| 65 | Sodium phosphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures |
| 66 | Sodium picosulphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures |

Schedule 1—*continued*
2—*continued*

| | |
|---|---|
| 67 | Stramonium; for oral use in liquid form; in solid dose form in medicines containing more than 0.3 milligrams per dose or more than 1.2 milligrams per recommended daily dose |
| 68 | Sulfacetamide; for ophthalmic use in medicines containing 10% or less |
| 69 | Thenyldiamine; for oral use; except when specified elsewhere in this schedule |
| 70 | Theophylline; in liquid form for oral use in medicines containing 2% or less |
| 71 | Tioconazole; for vaginal use |
| 72 | Triamcinolone; for buccal use in medicines containing 0.1% or less of triamcinolone acetonide and in pack sizes no greater than 5 grams |
| 73 | Trimeprazine; for oral use in solid dose form or in liquid form containing 10 milligrams or less per 5 millilitres; except when specified elsewhere in this schedule |
| 74 | Triprolidine; for oral use; except when specified elsewhere in this schedule |

Schedule 1—*continued*

## 3
## Pharmacy-only medicines

| | |
|---|---|
| 1 | 8-hydroxyquinoline and its non-halegenated derivatives; in medicines containing more than 1% of such substances |
| 2 | Acetic acid and preparations containing more than 80% of acetic acid (CH3COOH); excluding its salts and derivatives |
| 3 | Acetylcysteine; for oral use in medicines containing more than 1 gram per recommended daily dose |
| 4 | Aciclovir; for external use for the treatment of herpes labialis except in medicines containing 5% or less and in tubes containing 10 grams or less |
| 5 | Aconitum spp; for oral use in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids; for dermal use in concentrations of 0.02% or less and in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids |
| 6 | Aloes; for internal use |
| 7 | Aloin |
| 8 | Aloxiprin |
| 9 | Amethocaine; for external use in medicines containing 10% or less and more than 2% |
| 10 | Amorolfine; for external use in medicines containing 0.25% or less except in medicines for tinea pedis only |
| 11 | Antazoline; for ophthalmic use |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 12 | Atropa belladonna; for external use in medicines containing 0.03% or less of the alkaloids of belladonna; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna |
| 13 | Atropine; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose or in solid dose form in medicines containing 0.3 milli-grams or less per dose form and not more than 1.2 milligrams per recommended daily dose; in medicines containing atropine sulfate for the treatment of organophosphorous poisoning either in packs of up to 20 tablets containing 0.6 milligrams or less per tablet or in injections in packs of 5 or less containing 0.6 milligrams per millilitre; except when used as an antidote in a device designed for self-injection; except when sold by licensees under the Toxic Substances Regulations 1983; except in medicines containing 300 micrograms or less per litre or per kilogam |
| 14 | Azelaic acid; for dermal use |
| 15 | Azelastine; for nasal use |
| 16 | Beclomethasone; in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 400 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 17 | Benzocaine; in mouthwashes containing 10% or less; for external use in medicines other than mouthwashes containing 10% or less and more than 2% except in throat lozenges containing 30 milligrams or less per dose form |
| 18 | Benzoyl peroxide; for external use in medicines containing more than 5% and not more than 10% |
| 19 | Benzydamine; for external use |
| 20 | Bephenium |
| 21 | Bifonazole; for dermal use except in medicines for tinea pedis only or in shampoos containing 1% or less |
| 22 | Bisacodyl |
| 23 | Boric acid; in medicines containing more than 2% |
| 24 | Bromhexine |
| 25 | Brompheniramine; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing brompheniramine in the bedtime dose and in preparations for adults and children over 2 years of age |
| 26 | Budesonide; in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 400 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 27 | Carbetapentane; in medicines containing more than 0.5% |
| 28 | Carbocisteine |
| 29 | Cetirizine; for oral use |
| 30 | Chlophedianol |
| 31 | Chlorbutol; in medicines containing 5% or less and more than 0.5% |
| 32 | Chloroform; in medicines other than for anaesthesia containing more than 0.5% |
| 33 | Chlorpheniramine; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing chlorpheniramine in the bedtime dose and in preparations for adults and children over 2 years of age |
| 34 | Ciclopirox; for external use in medicines containing 2% or less except in medicines for tinea pedis only |
| 35 | Cinchocaine; for external use in medicines containing 0.5% or less |
| 36 | Cinnamedrine |
| 37 | Clotrimazole; for deitnal use except in medicines for tinea pedis only |
| 38 | Colocynth |
| 39 | Controlled drugs; that are medicines specified in Part 6 of Schedule 3 of the Misuse of Drugs Act 1975 |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 40 | Creosote; in medicines containing more than 10% |
| 41 | Cresols; in medicines containing more than 3% |
| 42 | Datura spp; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids |
| 43 | Delphinium staphisagria; in medicines containing more than 0.2% |
| 44 | Desloratadine; for oral use |
| 45 | Dexchlorpheniramine; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing dexchlorpheniramine in the bedtime dose and in preparations for adults and children over 2 years of age |
| 46 | Dextromethorphan; in liquid form containing more than 0.25% or in solid dose form containing more than 15 milligrams per dose form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams |
| 47 | Dibrompropamidine; for ophthalmic use |
| 48 | Diclofenac; in solid dose form in medicines containing 12.5 milligrams or less per dose form in packs containing not more than 20 tablets or capsules |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 49 | Dimenhydrinate; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness except when sold at a transport terminal or aboard a ship or plane |
| 50 | Diphenhydramine; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing diphenhydramine in the bedtime dose and in preparations for adults and children over 2 years of age; in a sealed container of not more than 10 tablets or capsules of diphenhydramine theoclate for the prevention or treatment of motion sickness except when sold at a transport terminal or aboard a ship or plane |
| 51 | Diphenylpyraline; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing diphenylpyraline in the bedtime dose and in preparations for adults and children over 2 years of age |
| 52 | Doxylamine; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing doxylamine in the bed-time dose and in preparations for adults and children over 2 years of age |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 53 | Duboisia leichhardtii; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose fohhu and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids |
| 54 | Duboisia myoporides; for oral use in liquid fotni in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids |
| 55 | Econazole; for dermal use except in medicines for tinea pedis only |
| 56 | Etafedrine |
| 57 | Ether; in medicines other than for anaesthesia containing more than 10% |
| 58 | Etofenamate; for external use |
| 59 | Famotidine; in medicines which have received the consent of the Minister or the Director-General to their distribution as pharmacy-only medicines and which are sold in the manufacturer's original pack containing not more than 14 days' supply |
| 60 | Felbinac; for external use |
| 61 | Fexofenadine; for oral use |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 62 | Fluorides; for internal use in medicines containing 2.2 milligrams or less per dose form of sodium fluoride; for external use in medicines other than pastes, gels, or powders for cleaning the teeth containing 2.5% or less; except in oral hygiene products other than pastes, gels, or powders for cleaning the teeth containing 220 milligrams or less per litre or per kilogram and in packs containing not more than 120 milligrams of total fluoride; except in other medicines containing 15 milligrams per litre or per kilogram |
| 63 | Flurbiprofen; in throat lozenges containing 10 milligrams or less per lozenge |
| 64 | Fluticasone; in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 200 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine |
| 65 | Folic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose |
| 66 | Folinic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose |
| 67 | Formaldehyde; in medicines containing more than 5% |
| 68 | Gelsemium sempervirens; except in medicines containing 1 milligram or less per litre or per kilogram |
| 69 | Glutaraldehyde |
| 70 | Glyceryl trinitrate; for external use; except in medicines containing 100 micrograms or less per litre or per kilogram |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 71 | Hexachlorophane; in medicines containing 3% or less but more than 0.75% |
| 72 | Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 0.5% or less by weight of hydrocortisone base with no other active ingredient except an antifungal and in a quantity of 30 grams or less or 30 millilitres or less per container |
| 73 | Hydrocyanic acid; for oral use in packs containing 5 milligrams or less and more than 0.5 milligrams; except in medicines containing 1 microgram or less per litre or per kilogram |
| 74 | Hydroquinone; for external use in medicines containing 2% or less except in hair preparations containing 1% or less |
| 75 | Hyoscine; for transdermal use in medicines containing 2 milligrams or less of total solanaceous alkaloids per dose unit; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 76 | Hyoscyamine; for external use in medicines containing 0.03% or less of total solanaceous alkaloids; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids |
| 77 | Hyoscyamus niger; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose except in packs containing 30 micrograms or less of total solanaceous alkaloids |
| 78 | Ibuprofen; for oral use in liquid form in packs containing not more than 4 grams in medicines which have received the consent of the Minister or the Director-General to their distribution as pharmacy-only medicines and which are sold in the manufacturer's original pack; for oral use in solid dose form containing not more than 200 milligrams per dose form in medicines which have received the consent of the Minister or the Director-General to their distribution as pharmacy-only medicines and which are sold in the manufacturer's original pack; except in packs containing 200 milligrams or less per oral solid dose form and not more than 25 dose units per pack in medicines which have received the consent of the Minister or the Director-General to their distribution as general sale medicines and which are sold in the manufacturer's original pack |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 79 | Indanazoline |
| 80 | Indomethacin; for external use in medicines containing 1% or less; except in medicines containing 1 milligram or less per litre or per kilogram |
| 81 | Iodine; for external use in medicines containing more than 2.5%; for internal use in medicines containing 300 micrograms or more per recommended daily dose |
| 82 | Ipomoea |
| 83 | Ipratropium; for nasal use |
| 84 | Iron; in medicines containing more than 24 milligrams per recommended daily dose |
| 85 | Isoconazole; for deimal use |
| 86 | Isopropamide; for dermal use in preparations containing 2% or less |
| 87 | Jalap resin |
| 88 | Ketoconazole; for dermal use except in medicines for tinea pedis only or in shampoos containing 1% or less |
| 89 | Leucovorin; in medicines containing more than 500 micrograms per recommended daily dose |
| 90 | Levocabastine; for nasal or ophthalmic use |
| 91 | Levocetirizine; for oral use |
| 92 | Lignocaine; for urethral use; for external use in medicines containing 10% or less and more than 2% |
| 93 | Lindane; for external use in medicines containing 2% or less |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 94 | Lithium; for dermal use in medicines containing 1% or less and more than 0.01% |
| 95 | Lobelia; except in medicines for smoking or burning |
| 96 | Lodoxamide; for ophthalmic use |
| 97 | Loperamide; in packs containing not more than 20 tablets or capsules |
| 98 | Loratadine; for oral use |
| 99 | Mebendazole |
| 100 | Meclozine; in a sealed container of not more than 12 tablets or capsules for the prevention or treatment of travel sickness except when sold at a transport terminal or aboard a ship or plane |
| 101 | Mefenamic acid; in solid dose folin in packs containing not more than 30 tablets or capsules for the treatment of dysmenorrhoea |
| 102 | Mepyramine; for dermal use |
| 103 | Mercuric oxide; for ophthalmic use |
| 104 | Mercury; for external use in medicines containing 0.5% or less |
| 105 | Methoxamine; for external use in medicines containing more than 1% |
| 106 | Methoxyphenamine |
| 107 | Methylephedrine |
| 108 | Miconazole; for dermal use except in medicines for tinea pedis only |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 109 | Minoxidil; for external use in medicines containing 5% or less |
| 110 | Mometasone; in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 200 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine |
| 111 | Naphazoline |
| 112 | Naproxen; in solid dose form containing 250 milligrams or less per dose form in packs of not more than 30 tablets or capsules |
| 113 | Niclosamide |
| 114 | Nicotine; for inhalation except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner, nurse, pharmacist, or psychologist |
| 115 | Nizatidine; in medicines which have received the consent of the Minister or the Director-General to their distribution as pharmacy-only medicines and which are sold in the manufacturer's original pack containing not more than 14 days' supply |
| 116 | Noscapine |
| 117 | Nystatin; for dermal use |
| 118 | Oxetacaine; for internal use |
| 119 | Oxiconazole; for dermal use except in medicines for tinea pedis only |
| 120 | Oxymetazoline; except for nasal use when sold at an airport |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 121 | Papaverine; except for injection |
| 122 | Paracetamol; in liquid form; in suppositories; in tablets or capsules containing 500 milligrams or less and in packs containing more than 10 grams; in powder form containing not more than 1 000 milligrams per sachet and more than 10 grams per pack |
| 123 | Paraformaldehyde; in medicines containing more than 5% |
| 124 | Penciclovir; for external use for the treatment of herpes labialis |
| 125 | Phedrazine |
| 126 | Phenazone; for external use |
| 127 | Pheniramine for ophthalmic use; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least one of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing pheniramine in the bedtime dose and in preparations for adults and children over 2 years of age |
| 128 | Phenol; in medicines other than for injection containing more than 3% |
| 129 | Phenylephrine; for nasal use in medicines containing more than 1%; for ophthalmic use in medicines containing 5% or less and more than 1%; for oral use in medicines containing more than 50 milligrams per recommended daily dose and in packs containing more than 250 milligrams of phenylephrine per pack |
| 130 | Piperazine |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 131 | Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 0.5% or less; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |
| 132 | Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |
| 133 | Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less per litre or per kilogram of podophyllin |
| 134 | Potassium; except when specified elsewhere in this schedule; for internal use in slow-release or enteric coated forms; in medicines containing more than 100 milligrams per recommended dose except in medicines for oral rehydration therapy, parenteral nutrition replacement, or for dialysis |
| 135 | Potassium chlorate; except in medicines containing 10% or less |
| 136 | Prilocaine; for dermal use in medicines containing 10% or less |
| 137 | Procyclidine; for dermal use in medicines containing 0.5% or less |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 138 | Promethazine; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing promethazine in the bedtime dose and in preparations for adults and children over 2 years of age; in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of travel sickness except when sold at a transport terminal or aboard a ship or plane |
| 139 | Propamidine; for ophthalmic use |
| 140 | Pyrantel |
| 141 | Pyrithione zinc; for external use in medicines containing more than 2% |
| 142 | Ranitidine; in medicines which have received the consent of the Minister or the Director-General to their distribution as pharmacy-only medicines and which are sold in the manufacturer's original pack containing not more than 14 days' supply |
| 143 | Sabadilla; in packs containing 18 milligrams or less of total alkaloids except in packs containing 1.8 milligrams or less and a recommended daily dose of not more than 0.6 milligrams of total alkaloids |
| 144 | Salicylamide |
| 145 | Selenium; for external use in medicines containing more than 2.5%; for internal use in medicines containing more than 150 micrograms per recommended daily dose |
| 146 | Sennosides |
| 147 | Silver; except in oral solutions containing 0.3% or less or other medicines containing 1% or less |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 148 | Silver sulfadiazine; for external use in pack sizes containing 50 grams or less |
| 149 | Sodium cromoglycate; for nasal and ophthalmic use |
| 150 | Sodium nitrite |
| 151 | Sodium picosulphate; in oral laxative preparations |
| 152 | Squill; in medicines containing more than 1% |
| 153 | Stramonium; in solid dose form in medicines containing 0.3 milligrams or less per dose and 1.2 milligrams or less per recommended daily dose |
| 154 | Sulconazole; for dermal use |
| 155 | Terbinafine; for dermal use except in medicines for tinea pedis only |
| 156 | Tetrachloroethylene |
| 157 | Tetrahydrozoline |
| 158 | Thenyldiamine; for nasal use; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing thenyldiamine in the bedtime dose and in preparations for adults and children over 2 years of age |
| 159 | Thiabendazole |
| 160 | Tioconazole; for dermal use except in medicines for tinea pedis only |
| 161 | Tramazoline |

Schedule 1—*continued*
3—*continued*

| | |
|---|---|
| 162 | Triamcinolone; in aqueous nasal sprays delivering up to 55 micrograms per actuation when the maximum recommended daily dose is no greater than 220 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine |
| 163 | Trimeprazine; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing trimeprazine in the bedtime dose and in preparations for adults and children over 2 years of age |
| 164 | Triprolidine; for oral use when combined with 1 or more other therapeutically active ingredients for the treatment of coughs, colds, or influenza when at least 1 of the other active ingredients is a sympathomimetic decongestant or in a day-and-night pack containing triprolidine in the bed-time dose and in preparations for adults and children over 2 years of age |
| 165 | Tuaminoheptane |
| 166 | Tymazoline |
| 167 | Xylenols; in medicines containing more than 3% |
| 168 | Xylometazoline; except for nasal use when sold at an airport |
| 169 | Zinc chloride; for dermal use in medicines containing more than 5% |

Diane Morcom,
Clerk of the Executive Council.

# Explanatory note

*This note is not part of the regulations, but is intended to indicate their general effect.*

These regulations, which come into force on 24 July 2006, replace Schedule 1 of the Medicines Regulations 1984, and correct some references to medicines in those regulations.

*Classification of medicines under Schedule 1*

Schedule 1 relates to the classification of medicines for the purposes of the Medicines Act 1981 (the Act). Schedule 1 has 3 Parts:

- Part 1---prescription medicines (which, in general terms, may be supplied only under a prescription given by a medical practitioner, dentist, registered midwife, veterinarian, or designated prescriber---the prescription medicines that designated prescribers may be authorised to prescribe are specified by regulations under section 105(1)(q) of the Act); and
- Part 2---restricted medicines (which, in general terms, may be supplied without a prescription, but only by a registered pharmacist in a pharmacy or a hospital, and with certain details of the supply being recorded); and
- Part 3-pharmacy-only medicines (which, in general terms, may be supplied without a prescription, by a registered pharmacist or by another person, at a pharmacy or a hospital, or at a shop in an isolated area that is licensed to sell the medicine).

*Minister may (re)classify medicines by notices in the Gazette*

Medicines may also be quickly (if temporarily) (re)classified for the purposes of the Act by *Gazette* notices issued by (or on behalf of) the Minister of Health under section 106 of the Act.

The notices do not amend Schedule 1, but Schedule 1 ceases to have effect to the extent that it is inconsistent with them.

The notices are temporary because they cease to have effect 6 months after the date on which they come into force. However, (re)classifications made by a *Gazette* notice are usually continued (through later Gazette notices) until they can be recognised permanently through amendments to Schedule 1.

*New Schedule 1 recognises (re)classifications by Gazette notices*

To the extent that it does not cease to have effect because of later *Gazette* notices, new Schedule 1 recognises, permanently, temporary (re)classifications of medicines done by Gazette notices issued since Schedule 1 was last replaced on 30 June 2002. For the details of those (re)classifications, see the notice of 2 February 2006 (which contains and continues all changes before that date) and the notice of 9 March 2006 (which contains the latest changes).

At the time these regulations were made, the *Gazette* notices of 2 February 2006 and 9 March 2006 were (with other information relating to classification of medicines) available from the website of the New Zealand Medicines and Medical Devices Safety Authority (or "Medsafe", a business unit of the Ministry of Health), at the following address:

•• http://www.medsafe.govt.nz/Profs/class/clascon.htm

*Correction of references to medicines*

The other amendments are to ensure that all prescription medicines are treated alike, all restricted medicines are treated alike, and all pharmacy-only medicines are treated alike, regardless of whether they are such medicines because they are listed in Schedule 1 or because of a *Gazette* notice under section 106 of the Act. This purpose is achieved by changing references to medicines specified in Schedule 1 to references to prescription medicines, restricted medicines, and pharmacy-only medicines, as appropriate (see regulations *4 to 6*).

---

Issued under the authority of the Acts and Regulations Publication Act 1989.
Date of notification in *Gazette*: 22 June 2006.

---