



ANALYSIS

<p>Title</p> <p>1. Short Title and commencement</p> <p>2. New Second Schedule substituted</p>	<p>3. New Third Schedule substituted</p> <p>4. Heavy Engineering Research Levy Notice 1987 Schedules</p>
---	--

1987, No. 189

An Act to amend the Heavy Engineering Research Levy Act 1978
[11 December 1987]

BE IT ENACTED by the Parliament of New Zealand as follows:

1. Short Title and commencement—(1) This Act may be cited as the Heavy Engineering Research Levy Amendment Act 1987, and shall be read together with and deemed part of the Heavy Engineering Research Levy Act 1978 (in this Act referred to as the principal Act).

(2) This Act shall come into force on the 1st day of January 1988.

2. New Second Schedule substituted—(1) The principal Act is hereby amended by repealing the Second Schedule (as substituted by section 5 (1) of the Heavy Engineering Research Levy Amendment Act 1986), and substituting the new Second Schedule set out in the First Schedule to this Act.

(2) The Heavy Engineering Research Levy Amendment Act 1986 is hereby consequentially amended by repealing section 5 and the First Schedule.

3. New Third Schedule substituted—(1) The principal Act is hereby amended by repealing the Third Schedule (as substituted by section 6 of the Heavy Engineering Research Levy Amendment Act 1986), and substituting the new Third Schedule set out in the Second Schedule to this Act.

(2) The Heavy Engineering Research Levy Amendment Act 1986 is hereby consequentially amended by repealing section 6 and the Second Schedule.

4. Heavy Engineering Research Levy Notice 1987—The substitution of the new Second and Third Schedules to the principal Act by sections 2 and 3 of this Act shall not affect the validity of the Heavy Engineering Research Levy Notice 1987.

SCHEDULES

FIRST SCHEDULE

Section 2 (1)

NEW SECOND SCHEDULE TO PRINCIPAL ACT

"SECOND SCHEDULE

Section 4

LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED \$5 FOR EACH TONNE

<i>Column 1</i>	<i>Column 2</i>
Customs Tariff item number and general description of goods	Customs Tariff statistical key code number (and description if applicable)
72.08 Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated: - Not in coils, not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
7208.31.00 -- Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm and of a thickness of not less than 4 mm, without patterns in relief	01A ... Exceeding 4.75 mm in thickness
7208.32.00 -- Other, of a thickness exceeding 10 mm	00H
7208.33.00 -- Other, of a thickness of 4.75 mm or more but not exceeding 10 mm	00B

FIRST SCHEDULE—*continued*“SECOND SCHEDULE—*continued*”LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED \$5 FOR EACH TONNE—*continued*

	<i>Column 1</i> Customs Tariff item number and general description of goods	<i>Column 2</i> Customs Tariff statistical key code number (and description if applicable)
	Flat-rolled products of iron, etc.—<i>continued</i>	
	– Other, not in coils, not further worked than hot-rolled:	
7208.41.00	-- Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm and of a thickness of not less than 4 mm, without patterns in relief	01E ... Exceeding 4.75 mm in thickness
7208.42.00	-- Other, of a thickness exceeding 10 mm	00A
7208.43.00	-- Other, of a thickness of 4.75 mm or more but not exceeding 10 mm	00F
7208.90	– Other:	
7208.90.01	-- 3 mm or more in thickness	11B ... Other: ... Exceeding 4.75 mm in thickness
72.10	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:	
7210.20	– Plated or coated with lead, including terne-plate:	
7210.20.09	-- Other	01B ... Exceeding 4.75 mm in thickness
	– Electrolytically plated or coated with zinc:	

7210.31	-- Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:		
	--- Exceeding 1.6 mm in thickness:		
7210.31.09	---- Other	01L Exceeding 4.75 mm in thickness
7210.39	-- Other:		
	--- Exceeding 1.6 mm in thickness:		
7210.39.09	---- Other	01G Exceeding 4.75 mm in thickness
	- Otherwise plated or coated with zinc:		
7210.49	-- Other:		
	--- Exceeding 1.9 mm in thickness:		
7210.49.01	---- Worked	01k Exceeding 4.75 mm in thickness, not in coils
	---- Other:		
7210.49.19	----- Other	01F Exceeding 4.75 mm in thickness
7210.50	- Plated or coated with chromium oxides or with chromium and chromium oxides:		
7210.50.09	-- Other	01c	... Exceeding 4.75 mm in thickness

FIRST SCHEDULE—*continued*“SECOND SCHEDULE—*continued*”LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED \$5 FOR EACH TONNE—*continued*

<i>Column 1</i> Customs Tariff item number and general description of goods	<i>Column 2</i> Customs Tariff statistical key code number (and description if applicable)
Flat-rolled products of iron, etc.—<i>continued</i>	
7210.60 – Plated or coated with aluminium: – – Containing not less than 95% aluminium by weight:	
7210.60.01 – – – Worked	01F Exceeding 4.75 mm in thickness, not in coils
7210.60.09 – – – Other Other:
– – Other:	11D Exceeding 4.75 mm in thickness
7210.60.11 – – – Worked	01A Exceeding 4.75 mm in thickness, not in coils
– – – Other:	
7210.60.29 – – – – Other	01H Exceeding 4.75 mm in thickness
7210.70 – Painted, varnished or coated with plastics:	
7210.70.01 – – Worked	01K . . . Exceeding 4.75 mm in thickness, not in coils

	-- Other:		
7210.70.19	--- Other	01F	... Exceeding 4.75 mm in thickness
7210.90	- Other:		
7210.90.01	-- Worked	01G	... Exceeding 4.75 mm in thickness, not in coils
	-- Other:		
7210.90.19	--- Other	01C	... Exceeding 4.75 mm in thickness
72.11	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:		
	- Not further worked than hot-rolled, of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:		
7211.11.00	-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness of not less than 4 mm, not in coils and without patterns in relief	09K	... Over 500 mm in width, exceeding 4.75 mm in thickness
7211.12	-- Other, of a thickness of 4.75 mm or more:		
7211.12.09	--- Other	01F	... Over 500 mm in width
	- Other, not further worked than hot-rolled:		
7211.21.00	-- Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and of a thickness of not less than 4 mm, not in coils and without patterns in relief	09C	... Over 500 mm in width, exceeding 4.75 mm in thickness
7211.22	-- Other, of a thickness of 4.75 mm or more:		
7211.22.09	--- Other	01K	... Over 500 mm in width

FIRST SCHEDULE—*continued*“SECOND SCHEDULE—*continued*”LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED \$5 FOR EACH TONNE—*continued*

	<i>Column 1</i> Customs Tariff item number and general description of goods	<i>Column 2</i> Customs Tariff statistical key code number (and description if applicable)
72.12	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:	
	- Electrolytically plated or coated with zinc:	
7212.21	-- Of steel of a thickness of less than 3 mm and having a minimum yield point of 275 MPa or of a thickness of 3 mm or more and having a minimum yield point of 355 MPa:	
	--- Other:	
	---- Exceeding 1.6 mm in thickness:	
7212.21.19	----- Other	01j Exceeding 4.75 mm in thickness
7212.29	-- Other:	
	--- Other:	
	---- Exceeding 1.6 mm in thickness:	
7212.29.19	----- Other	01E Exceeding 4.75 mm in thickness

7212.30	- Otherwise plated or coated with zinc: -- Other: --- Exceeding 1.9 mm in thickness:		
7212.30.11	---- Worked	01G Exceeding 4.75 mm in thickness, not in coils
7212.30.19	---- Other	09c Exceeding 4.75 mm in thickness, not in coils
7212.40	- Painted, varnished or coated with plastics: -- Other:		
7212.40.11	--- Worked	01L Exceeding 4.75 mm in thickness
7212.40.19	--- Other	11j Other: Exceeding 4.75 mm in thickness
7212.50	- Otherwise plated or coated: -- Other:		
7212.50.19	--- Other	01E Exceeding 4.75 mm in thickness
7212.60	- Clad: -- Other:		
7212.60.19	--- Other	01j Exceeding 4.75 mm in thickness

FIRST SCHEDULE—*continued*
 “SECOND SCHEDULE—*continued*

LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED \$5 FOR EACH TONNE—*continued*

	<i>Column 1</i> Customs Tariff item number and general description of goods	<i>Column 2</i> Customs Tariff statistical key code number (and description if applicable)
72.16	Angles, shapes and sections of iron or non-alloy steel:	
	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:	
7216.31	-- U Sections:	
7216.31.01	--- 102 mm × 51 mm × 10.4 kg/m	00L
7216.31.09	--- Other	00A
7216.32.00	-- I sections	01C ... Less than 40 kg/m 09B ... Other
7216.33.00	-- H sections	01A ... Less than 40 kg/m 09C ... Other
7216.40	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:	
7216.40.01	-- Equal angled L sections, 80 mm × 80 mm by 5 mm to 13 mm in thickness	00K

7216.40.09	-- Other	00L	
7216.50.00	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	01E 09L	.. Of a height of 80 mm or more: ... Less than 40 kg/m ... Other
7216.60.00	- Angles, shapes and sections, not further worked than cold-formed or cold-finished	01J 09D 19A	.. Of a height of 80 mm or more: ... Angles and tees ... Channels, girders, beams and joists ... Other
7216.90	- Other:		
7216.90.01	-- Worked	01F	... Of a height of 80 mm or more
7216.90.09	-- Other	01G 09B	... Of a height of 80 mm or more: ... Galvanised ... Other
72.25	Flat-rolled products of other alloy steel, of a width of 600 mm or more:		
7225.40.00	- Other, not further worked than hot-rolled, not in coils	01L	.. Exceeding 4.75 mm in thickness
7225.90	- Other:		
7225.90.01	-- Galvanised	01E	... Exceeding 4.75 mm in thickness, not in coils
7225.90.09	-- Worked	01F	... Exceeding 4.75 mm in thickness, not in coils
7225.90.19	-- Other	09G	... Exceeding 4.75 mm in thickness, not in coils

FIRST SCHEDULE—*continued*
 “SECOND SCHEDULE—*continued*

LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED \$5 FOR EACH TONNE—*continued*

<i>Column 1</i>		<i>Column 2</i>	
Customs Tariff item number and general description of goods		Customs Tariff statistical key code number (and description if applicable)	
72.26	Flat-rolled products of other alloy steel, of a width of less than 600 mm:		
	– Other:		
7226.91	-- Not further worked than hot-rolled:		
7226.91.09	--- Other	01J Over 500 mm in width, of a thickness exceeding 4.75 mm
7226.99	-- Other:		
7226.99.01	--- Galvanised or worked	01D Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils
	--- Other:		
7226.99.19	---- Other	01L Over 500 mm in width, of a thickness exceeding 4.75 mm

72.28	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:		
7228.70.00	- Angles, shapes and sections		<ul style="list-style-type: none"> .. Of a height of 80 mm or more: ... Channels, girders, beams and joists ... Other
		01F	
		09A	
73.06	Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:		
7306.60.00	- Other, welded, of non-circular cross-section		<ul style="list-style-type: none"> .. Rectangular hollow sections: ... Of a maximum dimension of 102 mm or more but less than 128 mm: Other ... Of a maximum dimension of 128 mm or more but less than 229 mm ... Other''
		49B	
		51D	
		59K	

SECOND SCHEDULE

Section 3 (1)

2746

NEW THIRD SCHEDULE TO PRINCIPAL ACT

“THIRD SCHEDULE

Section 4

LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED 5 CENTS FOR EACH KILOGRAM

	<i>Column 1</i> Customs Tariff item number and general description of goods	<i>Column 2</i> Customs Tariff statistical key code number (and description if applicable)
71.06	Silver (including silver plated with gold or platinum), unwrought or in semi-manufactured forms, or in powder form: - Other:	
7106.92.00	-- Semi-manufactured	... Other: ... Bars and rods, strip and wire: 11B ... Welding
72.15	Other bars and rods of iron or non-alloy steel: - Other, not further worked than cold-formed or cold-finished, containing by weight less than 0.25% of carbon:	
7215.20.01	-- Straightened wire not exceeding 13 mm in diameter	01B ... Welding wire

Heavy Engineering Research Levy
Amendment

1987, No. 189

7215.20.09 -- Other

7215.90.00 - Other

72.17 Wire of iron or non-alloy steel:

- Containing by weight less than 0.25% of carbon:

7217.11.00 -- Not plated or coated, whether or not polished

7217.13.00 -- Plated or coated with other base metals

7217.19.00 -- Other

... Of circular cross-section:
01c ... Welding

... Other:
41b ... Welding

01A .. Welding

... Less than 1.8 mm in any cross-sectional dimension:
01c ... Welding

... 1.8 mm or more in any cross-sectional dimension:
19F ... Welding

... Less than 1.8 mm in any cross-sectional dimension:
01b ... Welding

... Other:
11k ... Welding

... Less than 1.8 mm in any cross-sectional dimension:
01k ... Welding

... Other:
11g ... Welding

SECOND SCHEDULE—*continued*

“THIRD SCHEDULE—*continued*”

LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED 5 CENTS FOR EACH KILOGRAM—*continued*

<i>Column 1</i>		<i>Column 2</i>	
Customs Tariff item number and general description of goods		Customs Tariff statistical key code number (and description if applicable)	
72.22	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:		
7222.30.00	- Other bars and rods	01B	. . Welding
72.23	Wire of stainless steel		
7223.00.00		01K	. . Welding
72.28	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:		
7228.20.00	- Bars and rods, of silco-manganese steel	01H	. . Wire rod: ... Welding . . Other:
		11E	. . . Welding
7228.60.00	- Other bars and rods	01B	. . Welding
72.29	Wire of other alloy steel:		

7229.20.00	- Of silco-manganese steel	01F	.. Coated: ... Welding
		11c	.. Other: ... Welding
7229.90.00	- Other	01A	.. Coated: ... Welding
		11j	.. Other: ... Welding
74.07	Copper bars, rods and profiles:		
7407.10	- Of refined copper:		
	- - Bars and rods:		
7407.10.01	- - - Wire rod	01L Welding
7407.10.09	- - - Other	01A Welding
	- Of copper alloys:		
7407.21	- - Of copper-zinc base alloys (brass):		
7407.21.01	- - - Bars and rods	01j Welding
7407.22	- - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver):		
7407.22.01	- - - Bars and rods	01c Welding
7407.29	- - Other:		
7407.29.01	- - - Bars and rods	01E Welding

SECOND SCHEDULE—*continued*

“THIRD SCHEDULE—*continued*”

LEVIED ITEMS IN RESPECT OF WHICH RATE OF LEVY NOT TO EXCEED 5 CENTS FOR EACH KILOGRAM—*continued*

<i>Column 1</i>		<i>Column 2</i>	
Customs Tariff item number and general description of goods		Customs Tariff statistical key code number (and description if applicable)	
74.08	Copper wire:		
	- Of refined copper:		
7408.19.00	- - Other	01C	... Welding
	- Of copper alloys:		
7408.21.00	- - Of copper-zinc base alloys (brass)	01L	... Welding
7408.22.00	- - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)	01E	... Welding
7408.29.00	- - Other	01G	... Welding
76.01	Unwrought aluminium:		
7601.10	- Aluminium, not alloyed:		
7601.10.01	- - Bars and rods	01D	... Welding
7601.20	- Aluminium alloys:		
7601.20.01	- - Bars and rods	01H	... Welding
76.04	Aluminium bars, rods and profiles:		
7604.10.00	- Of aluminium, not alloyed	01B	.. Welding
	- Of aluminium alloys:		
7604.29	- - Other:		
7604.29.01	- - - Bars and rods	01C Welding

76.05	Aluminium wire:		
	- Of aluminium, not alloyed:		
7605.19.00	- - Other	01A	... Welding
	- Of aluminium alloys:		
7605.29.00	- - Other	01E	... Welding
83.11	Wire, rods, tubes, plates, electrodes and similar products, of base metal or of metal carbides, coated or cored with flux material, of a kind used for soldering, brazing, welding or deposition of metal or of metal carbides; wire and rods, of agglomerated base metal powder, used for metal spraying:		
8311.10.00	- Coated electrodes of base metal, for electric arc-welding	00C	
8311.20.00	- Cored wire of base metal, for electric arc-welding	00G	
8311.30.00	- Coated rods and cored wire, of base metal, for soldering, brazing or welding by flame	00L	
8311.90	- Other, including parts:		
8311.90.01	- - Wire and rods, of agglomerated base metal powder, used for metal spraying	00J	
8311.90.09	- - Other	00K"	

This Act is administered in the Department of Scientific and Industrial Research.
