

Serial Number 1951/40

THE PHARMACY REGULATIONS 1944, AMENDMENT NO. 5

B. C. FREYBERG, Governor-General

ORDER IN COUNCIL

At the Government Buildings at Wellington, this 6th day of
March, 1951

Present :

THE RIGHT HON. S. G. HOLLAND PRESIDING IN COUNCIL

PURSUANT to the Pharmacy Act, 1939, His Excellency the Governor-General, acting by and with the advice and consent of the Executive Council, and in accordance with recommendations made by the Pharmacy Board of New Zealand and transmitted by the Board to the Minister of Health, doth hereby make the following regulations.

REGULATIONS

1. These regulations may be cited as the Pharmacy Regulations 1944, Amendment No. 5, and shall be read together with and deemed part of the Pharmacy Regulations 1944* (hereinafter referred to as the principal regulations).

(2) These regulations shall come into force on the fourteenth day after the date of their notification in the *Gazette*.

2. The Fifth Schedule to the principal regulations is hereby revoked and the following Schedule substituted:—

“ FIFTH SCHEDULE

“ (Board's Official List of Plant : Regulation 31 (8) (c))

- “ One dispensing balance to ‘ B ’ grade requirements—*i.e.*, to turn at $\frac{1}{8}$ th grain.
- “ Twelve dispensing measures, assorted sizes, all to be stamped.
- “ One graduate, glass, 10 c.c.
- “ One graduate, glass, 100 c.c.
- “ Four mortars, assorted sizes, one to be of glass.
- “ Two evaporating dishes.
- “ Four funnels, assorted sizes.
- “ One sieve or sifter.
- “ One suppository mould.
- “ One ‘ Counter ’ scales.
- “ One set of apothecary weights, to 1 lb.
- “ One set of metric weights, 10 mgm. to 100 gm.
- “ Six spatulas, steel or stainless, assorted sizes.
- “ Three spatulas, bone, plastic, or ebonite.
- “ One thermometer, Centigrade to 200°.
- “ One thermometer, Fahrenheit to 212°.
- “ Two pots, enamel or stainless steel.

* Statutory Regulations 1944, Serial number 1944/128, page 359.

Amendment No. 1 : Statutory Regulations 1945, Serial number 1945/122, page 296.

Amendment No. 2 : Statutory Regulations 1946, Serial number 1946/177, page 507.

Amendment No. 3 : Statutory Regulations 1948, Serial number 1948/14, page 27.

Amendment No. 4 : Statutory Regulations 1948, Serial number 1948/149, page 469.

" FIFTH SCHEDULE—*continued*

- " One water bath, or double boiler.
- " Six stirring rods.
- " Six test tubes.
- " One pipette, graduated, 10 c.c.
- " One flask.
- " Two ointment slabs.
- " One distilling flask and condenser.
- " Facilities for providing adequate hot water.
- " Heating facilities : Hotplate, gas ring, primus, or similar appliance.
- " Books : ' British Pharmacopœia,' ' British Pharmaceutical Codex ' ; their addenda and supplements.

" Where three or more persons are employed in the compounding and dispensing of drugs the following additional equipment :—

- | | |
|--|--|
| <ul style="list-style-type: none"> " One dispensing balance. " Six measures. " One ointment slab. | <ul style="list-style-type: none"> " Two mortars. " Six spatulas." |
|--|--|

T. J. SHERRARD,
Clerk of the Executive Council.

Issued under the authority of the Regulations Act, 1936.
Date of notification in *Gazette* : 8th day of March, 1951.
These regulations are administered in the Department of Health.