DUNEDIN CITY COUNCIL AND DUNEDIN DRAINAGE AND SEWERAGE BOARD CLERICAL AND OTHER EMPLOYEES—VARIATION OF INDUSTRIAL AGREE-MENT

THIS industrial agreement made in pursuance of the Industrial Conciliation and Arbitration Act 1954, this 16th day of August 1967, between the Dunedin City Corporation and the Dunedin Drainage and Sewerage Board (hereinafter called the "employer") of the one part and the Dunedin Municipal Clerical and Other Employees (other than Inspectors) Industrial Union of Workers (hereinafter called the "union") of the other part, witnesseth that it is hereby mutually agreed between the employer and the union as follows:

SCHEDULE

1. The industrial agreement dated 27 October 1966 between the employer and the union be and is hereby amended as follows:

- (a) By the addition of a further sub-clause to clause 2 of the said agreement, i.e.,
 (f) The hours of work of water meter readers and the senior water meter reader shall be 40 per week to be worked on five days of the week, Monday to Friday, both days inclusive.
- (b) By the addition to clause 6 sub-clause (a) of the said agreement immediately after the heading to the said sub-clause the following words:

"Grade I, Division 9-Water meter readers".

"Grade I, Division 10-Senior water meter reader".

- (c) By the addition of the words "and water meter readers" after the words "meter readers" in sub-clause (b) and (c) of clause 15.
- (d) By the addition at the end of sub-clause 17 (c) of the said agreement the following words:

"or to the water meter readers or to the senior water meter reader".

2. The amendment provided for in clause 1 hereof shall be deemed to have come into force on the 1st day of August 1967.

Signed on behalf of the Dunedin Municipal Clerical and Other Employees (other than Inspectors) Industrial Union of Workers:

I. E. STILL, Secretary.

Signed on behalf of the Dunedin City Council as employer:

J. C. LUCAS, Town Clerk.

Signed on behalf of the Dunedin Drainage and Sewerage Board as employer: J. C. LUCAS, Secretary.