

THE

NEW ZEALAND GAZETTE

EXTRAORDINARY.

Published by Anthority.

WELLINGTON, MONDAY, SEPTEMBER 4, 1939.

The Oil Fuel Emergency Regulations 1939.

GALWAY, Governor-General.

ORDER IN COUNCIL.

At the Government Buildings at Wellington, this 4th day of September, 1939.

Present:

HIS EXCELLENCY THE GOVERNOR-GENERAL IN COUNCIL.

PURSUANT to the Public Safety Conservation Act, 1932, there being a Proclamation of Emergency now in force under that Act, His Excellency the Governor-General, acting by and with the advice and consent of the Executive Council, doth hereby make the following regulations.

REGULATIONS.

PRELIMINARY.

- 1. (1) These regulations may be cited as the Oil Fuel Emergency Regulations 1939.
- (2) These regulations shall be read together with and deemed part of the Supply Control Emergency Regulations 1939 (hereinafter referred to as the principal regulations).
 - 2. In these regulations, unless inconsistent with the context,—
 - "Controller" means the Oil Fuel Controller appointed under these regulations; and includes any person for the time being authorized to exercise or perform any of the Controller's powers or functions:
 - troller's powers or functions:
 "Oil fuel" includes motor-spirits, power kerosene, lighting kerosene, Diesel oil, fuel oil, and lubricating-oil, as herein-after defined:
 - "Motor-spirits" means any petroleum distillate or similar hydrocarbon that distills completely at a temperature below 225° C. and is suitable for use as fuel in internal-combustion engines; and includes motor benzole and power alcohol:
 - "Power kerosene" means any petroleum distillate of which less than 50 per cent. by volume distills at a temperature below 160° C., and which is suitable for use as fuel in internalcombustion engines performing heavy duty, such as those
 - of motor-lorries and tractors:

 "Lighting kerosene" means any refined petroleum distillate that distills completely at a temperature below approximately 320° C., has a closed test flash-point above 115° C., and is suitable for use as an illuminant: