

Cuckoo (Family Cuculidae)—	Petrel—
Long-tailed cuckoo (koekoea) ( <i>Urodynamis taitensis</i> ). Shining cuckoo (piipiwharauroa) ( <i>Chalcococcyx lucidus</i> ).	Black petrel (toanui) ( <i>Procellaria parkinsoni</i> ). Black-bellied storm petrel ( <i>Fregetta melanogaster</i> ). Black-capped petrel ( <i>Pterodroma externa</i> ). Black-winged petrel ( <i>Cookilaria nigripennis</i> ). Blue petrel ( <i>Halobaena caerulea</i> ). Brown petrel ( <i>Priopus cinereus</i> ). Cape pigeon ( <i>Daption capense</i> ). Chatham Island petrel ( <i>Cookilaria axillaris</i> ). Cook's petrel (titi) ( <i>Cookilaria cooki</i> ). Diving petrel ( <i>Pelecanoides urinatrix</i> ). Grey-backed storm petrel ( <i>Garrodia nereis</i> ). Grey-faced petrel ( <i>Pterodroma macroptera</i> ). Giant petrel, or nelly ( <i>Macronectes giganteus</i> ). Kermadec Island mutton-bird ( <i>Pterodroma neglecta</i> ). Rainbird ( <i>Pterodroma inexpectata</i> ). Silver-grey petrel ( <i>Priocella antarctica</i> ). Whale-bird ( <i>Prion vitatum</i> ). Whale-bird (whiroia) ( <i>Prion desolatus</i> and <i>Prion turtur</i> ). White-chinned petrel ( <i>Procellaria aequinoctialis</i> ). White-faced storm petrel ( <i>Pelagodroma marina</i> ). White-headed petrel ( <i>Pterodroma lessoni</i> ). Wilson's storm petrel ( <i>Oceanites oceanicus</i> ). Pigeon (kereru) ( <i>Hemiphaga novae-zealandiae</i> ). Chatham Island pigeon ( <i>Hemiphaga chathamensis</i> ).
Dottrel—	Pipit (pihoihoi, ground-lark) ( <i>Anthus novae-zealandiae</i> )—
Banded dottrel ( <i>Charripedesmus bicinctus</i> ). New Zealand dottrel ( <i>Orthodromus obscurus</i> ).	Antipodes Island pipit ( <i>Anthus novae-zealandiae steindachneri</i> ). Auckland Island pipit ( <i>Anthus novae-zealandiae aucklandicus</i> ). Chatham Island pipit ( <i>Anthus novae-zealandiae chathamicus</i> ).
Duck—	Plover—
Auckland Island duck ( <i>Nesonetta aucklandica</i> ). Blue or mountain duck (whio) ( <i>Hymenoloeius malacorhynchus</i> ). Brown duck ( <i>Elasmonetta chlorotis</i> ). Black teal ( <i>Fuligula novae-zealandiae</i> ). Grey teal ( <i>Nettion castaneum</i> ). Eastern golden plover ( <i>Charadrius dominicus</i> ).	Eastern golden plover ( <i>Charadrius dominicus</i> ). Lapwing ( <i>Vanellus cristatus</i> ). Sand plover (kukuruatu) ( <i>Thinornis novae-zealandiae</i> ). Wrybill ( <i>Anarhynchus frontalis</i> ).
Fantail—	Rail—
Black fantail (tiwakawaka) ( <i>Rhipidura fuliginosa</i> ). Chatham Island pied fantail ( <i>Rhipidura flabellifera penita</i> ). Pied fantail (tiwakawaka) ( <i>Rhipidura flabellifera</i> ).	Auckland Island rail ( <i>Rallus muelleri</i> ). Dieffenbach's rail (Chatham Island) (moeraki) ( <i>Nesolimnas dieffenbachii</i> ). Mangare rail ( <i>Cabalus modestus</i> ). Marsh-rail (koitareke) ( <i>Porzana affinis</i> ). Pectoral rail (mohopereru patata) ( <i>Hypotaenidia philippensis</i> ). Swamp-rail (putoto) ( <i>Porzana plumbea</i> ).
Fern-bird (matata)—	Rifleman (tititipounamu) ( <i>Acanthisitta chloris</i> ).
Chatham Island fern-bird ( <i>Bowdleria rufescens</i> ). Mainland species ( <i>Bowdleria punctata</i> and <i>Bowdleria fulva</i> ). Snares Island fern-bird ( <i>Bowdleria punctata caudata</i> ).	Robin—
Gannet—	Chatham Island robin ( <i>Nesomiro traversi</i> ). North Island wood-robin (toutouwai) ( <i>Miro longipes</i> ). Snares robin ( <i>Nesomiro traversi dannefordi</i> ). South Island alpine-robin ( <i>Miro australis bulleri</i> ). South Island wood-robin (toutouwai) ( <i>Miro australis</i> ).
Grebe—	Saddleback (tieke) ( <i>Creadion carunculatus</i> ). Sandpiper ( <i>Heteropygia maculata</i> ).
Crested grebe ( <i>Podiceps cristatus</i> ). Little grebe, or dabchick (totokipio) ( <i>Poliocephalus rufopectus</i> ).	Shag—
Godwit ( <i>Limosa novae-zealandiae</i> ).	Auckland Island shag ( <i>Phalacrocorax colensoi</i> ). Blue shag ( <i>Stictocarbo steadi</i> ). Bounty Island shag ( <i>Phalacrocorax ranfurlyi</i> ). Bronze shag ( <i>Phalacrocorax chalconotus</i> ). Campbell Island shag ( <i>Phalacrocorax campbelli</i> ). Carunculated shag ( <i>Phalacrocorax carunculatus</i> ). Chatham Island shag ( <i>Phalacrocorax featherstoni</i> and <i>Phalacrocorax onslowi</i> ). Little Black shag ( <i>Phalacrocorax sulcirostris</i> ). Spotted shag ( <i>Stictocarbo punctatus</i> ). Stewart Island shag ( <i>Phalacrocorax stewarti</i> and <i>Phalacrocorax huttoni</i> ).
Gull—	Shearwater (hakoakoa) ( <i>Puffinus reinholdi</i> )—
Black-billed gull ( <i>Larus bulleri</i> ). Red-billed gull (tarapunga) ( <i>Larus scopulinus</i> ).	Allied shearwater ( <i>Puffinus assimilis</i> ). Long-tailed shearwater ( <i>Puffinus bulleri</i> ). Pink-footed shearwater ( <i>Puffinus carneipes</i> ). Wedged-tailed shearwater ( <i>Puffinus pacificus</i> ).
Heron—	Snipe—
Blue heron (matuku) ( <i>Demiegretta sacra</i> ). Nankeen night-heron ( <i>Nycticorax caledonicus</i> ). White-fronted heron (matuku-moana) ( <i>Notophoyx novae-hollandiae</i> ). White heron (kotuku) ( <i>Herodias alba</i> ).	Antipodes Island snipe ( <i>Gallinago aucklandica tristrami</i> ). Auckland Island snipe ( <i>Gallinago aucklandica</i> ). Chatham Island snipe ( <i>Gallinago aucklandica pusilla</i> ). Common snipe ( <i>Gallinago coelestis</i> ). Snares Island snipe ( <i>Gallinago aucklandica huegeli</i> ). Southern merganser ( <i>Merganser australis</i> ).
Huia ( <i>Heteralocha acutirostris</i> ).	Starling ( <i>Sturnus vulgaris</i> ).
Kaka—	Stilt-plover—
Brown kaka ( <i>Nestor occidentalis</i> ). Kaka ( <i>Nestor meridionalis</i> ).	Black stilt-plover ( <i>Hypsibates novae-zealandiae</i> ). Pied stilt-plover ( <i>Hypsibates leucocephalus</i> ).
Kakapo (ground-parrot) ( <i>Strigops habroptilus</i> ).	Stitch-bird (hihi) ( <i>Notiomystis cincta</i> ).
Kingfisher (kotare) ( <i>Halcyon virens</i> ).	Swan—
Kiwi—	White swan ( <i>Cygnus olor</i> ).
Brown kiwi ( <i>Apteryx mantelli</i> ). Great spotted kiwi (roaroa) ( <i>Apteryx haastii</i> ). Grey kiwi ( <i>Apteryx oweni</i> ). Spotted kiwi ( <i>Apteryx occidentalis</i> ). Southern kiwi (roa) ( <i>Apteryx australis</i> ). Stewart Island kiwi ( <i>Apteryx australis lawryi</i> ).	Takahe ( <i>Notornis hochstetteri</i> ).
Knot ( <i>Tringa canutus</i> ).	
Magpie (Australian)—	
Black-backed magpie ( <i>Gymnorhina tibicen</i> ). White-backed magpie ( <i>Gymnorhina leuconota</i> ).	
Martin ( <i>Chelidon urbica</i> ).	
Owl—	
Laughing-owl (whekau) ( <i>Sceloglaux albifacies</i> ). Morepork (ruru, koukou) ( <i>Ninox novae-zealandiae</i> ). Rufous-faced owl (North Island) ( <i>Sceloglaux albifacies rufifacies</i> ).	
Oyster-catcher, or redbill—	
Black oyster-catcher, or redbill (torea) ( <i>Haematopus niger</i> ). Pied oyster-catcher, or redbill (torea) ( <i>Haematopus ostralegus</i> ).	
Parrakeet—	
Antipodes Island parakeet ( <i>Cyanoramphus unicolor</i> ). Auckland Island parakeet ( <i>Cyanoramphus novae-zealandiae aucklandicus</i> ). Chatham Island parakeet ( <i>Cyanoramphus auriceps forbesi</i> ). Kermadec Island parakeet ( <i>Cyanoramphus novae-zealandiae cyanurus</i> ). Orange-fronted parakeet ( <i>Cyanoramphus malherbei</i> ). Red-fronted parakeet (kakariki) ( <i>Cyanoramphus novae-zealandiae</i> ). Yellow-fronted parakeet ( <i>Cyanoramphus auriceps</i> ).	
Parson-bird (tui) ( <i>Prosthemadera novae-zealandiae</i> ).	
Penguin—	
Big crested penguin ( <i>Eudyptes chrysocomus sclateri</i> ). Blue penguin (korora) ( <i>Eudyptula minor</i> ). Campbell Island crested penguin ( <i>Eudyptes chrysocomus filholi</i> ). Crested penguin (tawaki) ( <i>Eudyptes chrysocomus pachyrhynchus</i> ). King penguin ( <i>Aptenodytes patagonica</i> ). Rock-hopper penguin ( <i>Pygoscelis papua</i> ). Royal penguin ( <i>Eudyptes schlegeli</i> ). Tufted penguin ( <i>Eudyptes chrysocomus</i> ). White-flipped penguin ( <i>Eudyptula albifrons</i> ). Yellow-eyed penguin (hoiho or hoioho) ( <i>Megadyptes antipodum</i> ).	