

Tariff Notice No. 1965/50—Applications for Continuation of Approval

NOTICE is hereby given that applications have been made for continuation of the following approvals of the Minister of Customs:

Appn No.	Tariff Item	Goods	Rates of Duty					Part II Ref.	List No.	Effective	
			B.P.	Aul.	Can.	MFN.	Gen.			From	To
5532	655.830.9	Fabrics, felted, when declared by an importer for use by him or to be sold for use in— Asbestos-cement sheet-making machines Door-sanding machines Laundry machines Leather ironing machines Lens polishing Mining Papermaking machines Rollers of woollen mill machinery Felted woollen webbing for biscuit-making machines	Free	..	..	..	10%	10.4	78	1/7/62	30/6/65
5533	723.101.1	Wires and cables as may be approved, etc.: Approved: Cables, all kinds, having eight or more cores and conductors exceeding 7/·036 in. Cables and wires insulated solely with paper, cotton, silk, wool, rayon, nylon, glass, enamel, cambric, or any combination of these materials with asbestos, and whether or not varnished Cables and wires insulated with polytetrafluoroethylene (P.T.F.E.) Cables and wires specially suited for use in aircraft wiring, on declaration that they will be used only for that purpose Cables and wires with conductors of any material other than copper Carrier quad cables, metal tape screened, also four quad and above, unscreened High-tension X-ray cable .. Jumper cables .. Messenger wire cable, being electrical conductors bound to a supporting or bearing wire Radio wire, P.V.C. insulated, single core, 7/·004 in. and 7/·0048 in. Service entrance cables, neutral screened, single, or multi-core conductors exceeding 7/·064 in. Silicone rubber-covered cables, wires and flexibles Telephone hand set and switch-board cords Telephone subscribers' cables, metal tape screened, also eight pairs and above unscreened Tough plastic sheathed (TPS) cables, 2 core, with or without earth continuity conductors, in sizes exceeding 19/·044 in. Tough plastic sheathed (TPS) cables, 3 core, with or without earth continuity conductors, in sizes exceeding 7/·064 in. Tough plastic sheathed (TPS) cables, 4 core, in sizes exceeding 7/·064 in. Tough plastic sheathed (TPS) cables, 4 core, circular, having conductors exceeding 7/·064 in. Tough plastic sheathed (TPS) cables, 4 core flat, with earth continuity conductor, in sizes exceeding 7/·044 in. Tough rubber-sheathed (TRS) cables, 4 core, circular, in sizes exceeding 7/·064 in. Tough rubber-sheathed (TRS) cable, flexible, 5 core, comprising 3 cores 162/·0076, 1 core 110/·0076, and 1 core 23/·0076 Tough rubber-sheathed (TRS) flexible, exceeding 110/·0076 in. (0.0048 sq. in.), twin, triple, or four core Trailing cables conforming to New Zealand Standard Specifications 397 (B.S. 708/1957) or 444 (B.S. 1116/1943), with individual core conductors having a nominal cross-sectional area exceeding 0.0048 sq. in. (110/·0076 in. or equivalent)	Free	..	..	20%S	25%	..	2	1/7/62	30/6/65
5534	723.102.1		2	1/7/62	30/6/65						
	723.103.1		2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			20	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			80	1/12/63	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						
			2	1/7/62	30/6/65						