

TARIFF DECISION LIST No. 263—continued
DETERMINATIONS—continued

Tariff Item No.	Goods	Rates of Duty		Part II Ref.	List No.	Effective	
		Normal	Other Pref.			From	To
82.05.021 Deter'n continued	(1) Drills—continued: (K) Tool Bits (Pieces) HSS Square section: Special Cobalt, super cobalt, size range: 5.0 mm to 16.0 mm all lengths $\frac{3}{16}$ in. to $\frac{5}{8}$ in. Round section: Super Cobalt size range: 3.00 mm to 13.00 mm all lengths $\frac{1}{8}$ in. to $\frac{1}{2}$ in. Bevel section (Blades): Special Cobalt size range: 13.00 mm to 26.00 mm all lengths $\frac{1}{2}$ in. to 1 in.				263	1/3/78	..
	(2) Lathe tools (brazed on tips), Tungsten Carbide tipped, standard pattern				263	1/3/78	..
	(3) Knives—Tungsten Carbide tipped —Steel				263	1/3/78	..
	(4) Hand taps, carbon steel cut thread, right hand, in the following thread forms and sizes: B.S.W. $\frac{1}{8}$ in. to 1 in. (excluding $\frac{3}{32}$ in., $\frac{9}{16}$ in., $\frac{11}{16}$ in., $\frac{13}{16}$ in.) U.N.F. $\frac{3}{16}$ in. to 1 in. (excluding $\frac{7}{32}$ in., $\frac{9}{16}$ in.) I.S.O. Coarse 3 mm × 0.50 mm, 4 mm × 0.70 mm, 5 mm × 0.80 mm, 6 mm × 1.00 mm, 8 mm × 1.25 mm, 10 mm × 1.50 mm, 12 mm × 1.75 mm, 16 mm × 2.00 mm, 20 mm × 2.50 mm, 24 mm × 3.00 mm				263	1/3/78	..
	(5) Button Dies, Carbon steel, circular split, 1 in. or 2 in. out- side diameter, right hand, in the following thread forms and sizes: B.S.W. $\frac{1}{8}$ in. to 1 in. U.N.F. $\frac{3}{16}$ in. to 1 in. I.S.O. Coarse 3.00 mm × 0.50 mm to 24.00 mm × 3.00 mm U.N.C. $\frac{1}{4}$ in. to 1 in.				263	1/3/78	..
	(6) Die Nuts, hexagon, carbon steel right hand, in the follow- ing thread forms and sizes: B.S.W. $\frac{1}{8}$ in., $\frac{3}{16}$ in., $\frac{1}{4}$ in., $\frac{5}{16}$ in., $\frac{3}{8}$ in., $\frac{7}{16}$ in., $\frac{1}{2}$ in., $\frac{5}{8}$ in., $\frac{3}{4}$ in., $\frac{7}{8}$ in., 1 in. U.N.F. $\frac{3}{16}$ in., $\frac{1}{4}$ in., $\frac{5}{16}$ in., $\frac{3}{8}$ in., $\frac{7}{16}$ in., $\frac{1}{2}$ in., $\frac{5}{8}$ in., $\frac{3}{4}$ in., $\frac{7}{8}$ in., 1 in. I.S.O. Coarse 3 mm × 0.50 mm, 4 mm × 0.70 mm, 5 mm × 0.80 mm, 6 mm × 1.00 mm, 8 mm × 1.25 mm, 10 mm × 1.50 mm, 12 mm × 1.75 mm, 16 mm × 2.00 mm, 20 mm × 2.50 mm, 24 mm × 3.00 mm U.N.C. $\frac{1}{4}$ in., $\frac{5}{16}$ in., $\frac{3}{8}$ in., $\frac{7}{16}$ in., $\frac{1}{2}$ in., $\frac{5}{8}$ in., $\frac{3}{4}$ in., $\frac{7}{8}$ in., 1 in.				263	1/3/78	..
	(7) Tap and Die sets, button pattern, carbon steel, in the following thread forms and sizes; (excluding sets which contain $\frac{11}{16}$ in. outside diameter dies): B.S.W. $\frac{1}{8}$ in. to 1 in. U.N.F. $\frac{1}{4}$ in. to 1 in. I.S.O. Coarse 3.00 mm to 24.00 mm U.N.C. $\frac{1}{4}$ in. to 1 in.				263	1/3/78	..