

TARIFF DECISION LIST No. 636—continued

APPROVALS—continued

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Concession Code	Effective	
			Normal	Pref.			From	To*
WN	84.10.029	Gilbarco T258 series rotary vane pumps and Gilbarco P.U.S. series pump (USA equivalent)	Free	Free	10	902340C	3/83	3/85
AK	84.10.029	Mono pumps, as may be approved; APPROVED: B, D, H, L, MD series, positive displacement self priming helical pumps Clean J range helical pumps MT, ST, wide throat range helical pumps OT range positive entry and delivery helical pumps helical rotor borehole pumps	Free	Free	10	922215E		
							3/83	3/86
							3/83	3/86
							3/83	3/86
							3/83	3/86
WN	84.22.009	Atlas Copco series LLA air operated hoists	Free	Free	10	902347L	3/83	6/86
WN	84.22.009	Atlas Copco series A and OWK air operated winches	Free	Free	10	902348J	3/83	6/86
HO	84.23.079	Front axles, to be used in making Champion road graders, as may be approved; APPROVED: Models 720, 720A, 740, and 740A	Free	Free	15	208170K	1/83	9/91
AK	84.23.079	Komatsu motor grader, model GD705A-3	Free	Free	10	922197C	7/83	6/84
WN	84.24.051	Accord pneumatic seed drills, model DT for sowing crops	Free	Free	10	923300J	5/83	6/86
HO	84.45.009	Peddinghaus combined shearing and punching machine, model 36 RP/10	Free	Free	10	208172F	3/83	6/85
WN	Chapter 85	Catalogued parts of machines may be admitted under the Part I approval, Part II duty concession or former Section 178 approval, granted in respect of the parent machine. This applies regardless of the Tariff classification with the following exception (1)-(15) (16) Transmission shafts—flexible (17) Take off shafts	Free	Free	10	206053B	2/82	..
	85.03.001	Primary cells and primary batteries of kinds approved by the Minister APPROVED:	Free		..			
WN		Tadiran lithium inorganic batteries				923299A	5/83	6/86
WN		Tadiran sealed sintered plate nickel-cadium cell and battery packs Varta;				902329B	5/83	6/86
AK		V533, V534, V541, V546, V547, and V548				922196E	3/83	6/86
WN	85.23.021	The Greenpar silicone rubber test lead with shrouded 4 mm plug	Free		..	902351J	4/83	3/86
Chapter 87		Catalogued parts of machines of Tariff headings 87.01 and 87.07 may be admitted under the Part I approval, Part II duty concession or former Section 178 approval, granted in respect regardless of Tariff classification with the following of the parent machine. This applies regardless of Tariff classification with the following exceptions; (1)-(15) (16) Transmission shafts—flexible (17) Take off shafts	Free	Free	10	206054L	2/82	..
WN	Chapter 90	Catalogued parts of machines may be admitted under the Part I approval, Part II duty concession or former section 178 approval, granted in respect of the parent machine. This applies regardless of Tariff classification with the following exceptions; (1)-(15) (16) Transmission shafts—flexible (17) Take off shafts	Free	Free	10	206055J	2/82	..
DN	90.24.011	Elmwood sensors, i.e., thermostats, phenolic models in the range 150°F open-on-rise, 130°F close-on-fall, peculiar for use in the actuation of fire alarms	Free		..	917307C	5/81	6/87
WN	90.24.011	Nuova Fima glycerine filled pressure gauges, with dials from 63 mm to 100 mm for pressures ranging from 500 psi to 8500 psi or equivalent	Free		..	902349G	4/83	6/86
HO	97.04.009	Dart flights excluding those made from self-adhesive plastic film, self-adhesive vinyl and self-adhesive polyester film, for use in making darts only	Free	Free	15	208011H	7/83	12/85
WN	98.08.001	Ink ribbons peculiar for use on Fujitsu daisy wheel printer type SP-830, viz., Part No. D30L-2004-0102 and D30L-2004-0112	Free	Free	99	902350L	4/83	6/86
HO		REF. NO. 30 NOTE TO PART II OF THE TARIFF CONCESSIONS; (4) INSTITUTIONS CONCERNED WITH THE BLIND AND OTHER PHYSICALLY OR MENTALLY HANDICAPPED PERSONS— APPROVED INSTITUTIONS: National Multiple Sclerosis Society of New Zealand Inc.	Free	Free	30	208169F	4/83	..

*Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

MISCELLANEOUS

Decisions Cancelled:

	30.03.031)	Medicaments:						
	30.03.039)							
DN		Achromyoin ... ointment	917835D
HO		Arpox	919151J
WN		Chlotride ... bulk	100871E
WN		Dexa ... 100 ml	102435D