NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1987/19 Applications Advertised for Objection Closing Date for Objections 18 June 1987

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 18 June 1987. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item;
 - the Port; and
 - Reference number.
- All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- All submissions objecting to a request for the imposition of duty must include:
 - reasons why the local product on which protection is sought is not a suitable alternative; full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above. Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

| T: 66 | | Name and Address | Part | Appn. | *Category |
|----------------|---|-------------------------------------|----------|------------|-----------|
| Tariff Ttom | Description of Cooks | Name and Address | II | Ref. | of |
| Item | Description of Goods | of Applicant | Ref. | No. | Appn. |
| 30.03.039 | Anexate | Roche Products | 25 | WN 630191L | A |
| | | PO Box 12492 | | | |
| | | Penrose | | | |
| 00 02 020 | Chlorhoriding poly amps 0 0E0 | AUCKLAND Phormago NZ Lad | ne . | WM 620102 | A |
| 30.03.039 | Chlorhexidine poly amps 0.05% | Pharmaco NZ Ltd | 25 | WN 630183 | A |
| | | PO Box 4079 AUCKLAND | | | |
| 30.03.039 | Debrox ear drops | Douglas Pharmaceuticals | 25 | WN 630187 | A |
| 00.00.000 | Debitor car arops | PO Box 56-001 | 20 | WIT 000107 | n |
| | | AUCKLAND | | | |
| 30.03.039 | Enprostil | Syntex Laboratories | 25 | WN 630189 | A |
| | • | PO Box 56046 | | | |
| | | TAWA | | | |
| 30.03.039 | Lopid | Parke Davis Pty Ltd | 25 | WN 630193 | A |
| | | PO Box 4275 | | | |
| | | AUCKLAND | | | |
| 30.03.039 | Regaine topical solution | Upjohn NZ Ltd | 25 | WN 630188 | A |
| | | PO Box 11282 | | | |
| | | Ellerslie | | | |
| | | AUCKLAND | | | |
| 30.03.039 | Retrovir | Wellcome NZ Ltd | 25 | WN 630185B | A |
| | | PO Box 22-258 | | | |
| 00 00 000 | Therefore the state of the state of the state of | OTAHUHU | 0.5 | WN 600106 | |
| 30.03.039 | Theophylline + 5% dextrose injection | Travenol Laboratories | 25 | WN 630186 | A |
| | | PO Box 18062 | | | |
| | | Glen Innes AUCKLAND | | | |
| 4.02.000 | Mitaine C.A (cocamidopropyl betaine) | Robert Bryce & Co Ltd | 99 | WN 622057 | A |
| 01.02.000 | mitaine C.A (cocamicopropyi betaine) | PO Box 30-145 | 33 | WIN 022037 | ^ |
| | | LOWER HUTT | | | |
| 35.06.000 | Adchem 707R | 201121 | 99 | DN 203072B | R.U.C. |
| 35.06.000 | Fixamin P.U.K adhesive | | 99 | DN 540505L | R.U.C. |
| 5.06.000 | Loctite cinch bolt guard 14769 | | 99 | DN 909683D | R.U.C. |
| 5.06.000 | Scotch-weld bonding tape, nos. 583, 584 | | 99 | DN 560147K | R.U.C. |
| 35.06.000 | "Sonicor" epoxy adhesive resins and hardeners | | 99 | DN 501095A | R.U.C. |
| | kit sets | | | | |
| 5.06.000 | CURRENT APPROVAL | | | | |
| | Thermoplastic cement in rolls | Fabia Products Ltd | 99 | 927072J | VA |
| | | C/-Colebrook Bros Ltd | | | |
| | | PO Box 1296 | | | |
| | | AUCKLAND | | | |
| 35.06.000 | REQUESTED APPROVAL | | | | ••• |
| | Thermoplastic cement in rolls, rod, pellet or in | | 99 | AK 603713F | VA |
| F 00 000 | block form | | 00 | DM E20041D | D II C |
| 5.06.000 | Thixon OSN-2, 508, 406, P7, P10 | | 99 | DN 520641D | R.U.C. |
| 6.08.015 | Exothermix riser sleeves | Dohm & Hood N7 I +d | 99 99 | DN 925787L | R.U.C. |
| 38.11.031 | Kathon FP being an antimicrobial product Active ingredients: 5-Chloro-2-Methyl-4- | Rohm & Haas NZ Ltd PO Box 22-220 | 99 | AK 603724A | A |
| | Isothiazolin-3-one | Otahuhu | | | • |
| | 2-Methyl-4-Isothiozolin-3-one | AUCKLAND | | | |
| 8.19.089 | CURRENT APPROVAL | Accident | | | |
| 001101000 | SAP 9402 additive package | Shell Chemicals NZ Ltd | 99 | 521177J | VA |
| | SAP 9408 additive package | PO Box 2091 | • | 620115G | *** |
| | one cross address, a factoring | WELLINGTON | | | |
| 3.19.089 | REQUESTED APPROVAL | | | | |
| | Anticorrosion and dispersant additives as may be | | 99 | WN 622083 | VA |
| | approved viz:-SAP9402, 9408, 9450, 9451 | | | | |
| 9.01.211 | Araldite BY 158 and BY 165 being Bisphenol A | Ciba-Geigy NZ Ltd | | AK 603722E | A |
| | epoxy resin used for concrete injection work | C/-Daniel Silva | | | |
| | • | Tariff Consultant | | | |
| | | PO Box 305 | | | |
| | | AUCKLAND | | | |
| 9.01.211 | CURRENT APPROVAL | | | | |
| | | \ \ | | | |