

Tariff Industry Assistance (Decision) Notice No. 1988/37-continued

Tariff Item	Description of Goods	Rates of Duty		Part	Ref. No.	Effective	
		Normal	Pref.	II Ref.		From	To
	(2) For moulding machine tools (3) With cutting edges of metallic carbide up to 305mm (12in.) in length, peculiar to use in machine tools of tariff heading 84.65 Metal cropping knives Metal guillotine knives, laminated Paper guillotine knives Plastic granulator knives Type metal planer knives						
AK	8302.50.00	Free	Free	99	800433B	8/88	..
AK	8408.10.09	Free	Free	99	800461H	9/88	..
AK	8408.10.09	Free	Free	99	800466J	6/88	..
AK	8414.59.09	Free	Free	99	800451L	9/88	..
AK	8428.33.00	Free	Free	99	800847H	10/88	..
AK	8462.91.00	Free	Free	99	800476F	6/88	..
WN	8466.10.00	Free	Free	99	820229L	7/88	..
AK	8467.89.00	Free	Free	99	800394H	9/88	..
CH	8479.89.00	Free	Free	99	740673J	6/88	..
AK	8479.89.00	Free	Free	99	800454E	9/88	..
WN	8501.20.01	Free	Free	99	721785E	6/88	..
AK	8506.19.00	Free	Free	99	800417L	9/88	..
AK	8536.49.00	Free	Free	99	800467G	8/88	..
HO	8704.31.11	15	15	99	880065A	1/88	..
WN	8907.90.00	Free	Free	99	721880L	6/88	..
AK	Chapter 90	Free	Free	99	703281B	6/88	..
	Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; EXCLUDING: (1) Electric current controllers/indicators, up to 240v (2) Frequency meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 0.5 and having face size of 72mm or 96mm square (3) Milk cryoscopes (4) Moving coil and moving coil/rectifier ammeters and voltmeters, including microammeters, milliameters and D.C. millivoltmeters for use with external shunts, flush mounting horizontal sector scales, accuracy class 2.5 and having body diameter of between 54 and 70mm (5) Moving coil and moving coil/rectifier ammeters and voltmeters, including milliameters and D.C. millivoltmeters, for use with external shunts, flush mounting with circular or quadrant scales accuracy class 1.5 and having face size of 72mm or 96mm square (6) Moving iron ammeters and voltmeters including milliameters, flush mounting and quadrant scales to accuracy class 1.5 and having face size of from 72mm to 144mm square inclusive (7) Temperature, pressure, humidity and moisture control and measuring devices (8) Industrial type batch and predetermining batch counters, but not including digital electronic frequencies above 1MHz (9) Variable speed controllers for A.C. motors, sizes up to and including 255 kw (10) Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power and flow pressure EXCLUDING: Public water supply data logging equipment, (11) Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units (12) Bin and hopper level control instruments and apparatus (13) Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to 10hp or 7.5 kilowatts resistive (14) Electronic marine instruments for recording boat speed and distance other than Decca Logs and Seafarer Logs (15) Energy management systems, peculiar to use for measuring, analysing and controlling electrical demand (16) Gas detection systems, peculiar for use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue (17) Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72mm to 144mm square (18) Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales						