LOT 062JFB

Site Name LOCATION Mt Cargill

NZMS260/I44 Map : Grid Reference : 198853

Altitude 671 m Above Mean

Sea Level

FREQUENCY AND CLASS OF EMISSION

Channel

Nominal Vision Carrier 767.25 MH2

Class of Emission (Vision)
Associated Sound Carrier
Class of Emission (Sound) : 6M253CF

772.75 MHz

750KF3EGN

MAXIMUM POWER OF EMISSIONS

Maximum eirp of peak vision

: Special condition (c) carrier

ANTENNA POLARISATION Horizontal :

NOMINAL ANTENNA HEIGHT 105 m Above Mean :

Ground Level

RECEIVE COVERAGE LOCATIONS

NZMS 262-17 313479, 314474, 314476, 318477.

SPECIAL CONDITIONS

- The effective radiated power of any emission on 109.9 MHz (a) ±3 kHz shall be attenuated by 5 dB more than the level specified as the Unwanted Emission Limit in the General Provisions.
- The effective radiated power of any emission on 156.8 MHz (b) +8 kHz shall be attenuated by 7 dB more than the level specified as the Unwanted Emission Limit in the General Provisions.
- The effective isotropic radiated power shall; (C)
 - (1) not exceed 29 dBW over the sector 90° to 240°.
 - be less than 20 dBW over the sector 240° through TN (2) to 90°.
- The maximum interfering signal level is 30 dBµV/m measured (d) with a horizontally polarized antenna or 50 dBµV/m measured with a vertically polarized antenna.