

Tariff Industry Assistance (Advertisement) Notice No. 1990/38-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
8516.10.00	Water heating module of the type used in hot water diving suits	C/- J A Barber & Co Ltd PO Box 858 AUCKLAND Proteus Undersea Consultants Ltd C/- Burlington Customs Brokerage PO Box 1296 AUCKLAND	99	ICU 983134H	A
8517.30.00	Residential and small business telephone switching systems	Philips New Zealand Ltd CPO Box 1041 AUCKLAND	99	ICU 983143G	A
8531.10.00	Radio-frequency wireless security systems	Mr A Mundie 4/150 Heu Heu Street TAUPO	99	ICU 983142J	A
8531.80.00	Swimming pool alarm with remote receiver	D R Williams Tariff Consultant PO Box 6667 Te Aro WELLINGTON	99	ICU 983767B	A
8543.80.29	Voltage and/or magnetism checking sticks	Enfield Cables (NZ) Ltd PO Box 3854 AUCKLAND 1	99	ICU 983110L	A
8716.90.09	Lubricating bearing protector, being replacement for hub dust cap	Trail Com Ltd C/- W B Johns Consulting Ltd PO Box 1548 AUCKLAND	99	ICU 983070H	A
Chapter 90	CURRENT APPROVAL Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; EXCLUDING: (1) Electric current controllers/indicators, up to 240v (2) Frequency meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 0.5 and having face size of 72mm or 96mm square (3) Milk cryoscopes (4) Moving coil and moving coil/rectifier ammeters and voltmeters, including microammeters, milliammeters and D.C. millivoltmeters for use with external shunts, flush mounting horizontal sector scales, accuracy class 2.5 and having body diameter of between 54 and 70mm (5) Moving coil and moving coil/rectifier ammeters and voltmeters, including milliammeters and D.C. millivoltmeters, for use with external shunts, flush mounting with circular or quadrant scales accuracy class 1.5 and having face size of 72mm or 96mm square (6) Moving iron ammeters and voltmeters including milliammeters, flush mounting and quadrant scales to accuracy class 1.5 and having face size of from 72mm to 144mm square inclusive (7) Temperature, pressure, humidity and moisture control and measuring devices (8) Industrial type batch and predetermining batch counters, but not including digital electronic frequencies above 1MHz (9) Variable speed controllers for A.C. motors, sizes up to and including 255 kw (10) Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power and flow pressure EXCLUDING: Public water supply data logging equipment, (11) Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units (12) Bin and hopper level control instruments and apparatus (13) Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to 10hp or 7.5 kilowatts resistive (14) Electronic marine instruments for recording boat speed and distance other than Decca Logs and Seafarer Logs (15) Energy management systems, peculiar to use for measuring, analysing and controlling electrical demand (16) Gas detection systems, peculiar for use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue (17) Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72mm to 144mm square (18) Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales NOTE: circular, sector and quadrant type scales are illustrated in Fig. 2 on pages 11 and 12 of BS 3693,	99	703281B	VA	