Tariff Item

84.59) 84.60) 84.61) 84.62) 84.63)

Tariff Industry Assistance (Advertisement) Notice No. 1990/20-continued

Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
304.8mm wheel diameter and 508mm belt width				
(4) Chain saw sharpeners				
5) Drill presses, bench or floor mounting column type, selt driven, excluding types with power feed to drilling				
uill				
6) Drill presses, wall mounting, radial type not				
xceeding 22.22 capacity in mild steel. 7) Dualfoam hydraulic press with facility to cast its				
wn tools models 5E, 6, 7, 8 and 9				
8) Machinery, peculiar for use in making and repairing				
exhaust systems and other products made from metal				
ubing, not exceeding the following capacity; waging, 19mm-76mm				
expanding, 25mm-76mm;				
bending, 19mm-76mm; and				
forming bends of 60mm-140mm radii EXCLUDING:				
numerically controlled machine tools				
(9) Metal circular saws hand operated with blades not				
exceeding 1016mm diameter excluding types specially				
uited for cutting precious metals 10) Metalworking guillotines and shears, excluding;				
a) 762mm power operated guillotines especially suited				
or use in the photo-processing and engraving grade for				
utting zinc, magnesium and copper sheets				
b) Reinforced steel bar cropping machines, with apacity exceeding 20mm				
c) Types with a straight cutting edge of 105mm or less				
11) Metal hacksaws with a rated square material cutting				
capacity of which any one measurement is 280mm or less,				
xcluding automatically controlled hacksaws 12) Plate rolls (other than those having a top roll				
iameter of 255mm and lower roll diameter of 195mm) and				
ress brakes (including coil cradle straighteners)				
<ul><li>13) Presses, hydraulic</li><li>14) Presses, mechanical, power operated and other,</li></ul>				
sceeding 30.5 tonnes but not exceeding 35 tonnes capacity				
15) Presses, mechanical, power operated and other, not				
exceeding 30.5 tonnes capacity				
(16) Punch, crop and rivet presses, not exceeding 3.05 connes capacity				
(17) Rod reinforcing steel cutters, not exceeding 20mm				
nild steel capacity				
(18) Roll forming machines, including continuous spouting				
and continuous ridging machines (19) Shearing, punching and notching machines, hand				
and hydraulically operated				
(20) Sheet metal folding machines				
(21) Sheet metal rollers, hand operated, not exceeding 220mm x 76.2mm x 1.6mm capacity				
(22) Swaging and crimping machines				
(23) Metal cutting bandsaws in vertical positions with a				
maximum cutting throat depth up to 450mm				
N.B. Any multi-purpose or composite machines incorporating any of the functions above are excluded from this				
concession				
EQUESTED APPROVAL				
achine-tools for working metal or metal carbides, not eing machines falling within heading No. 84.67 or 84.68;	Lydon Machine Tools PO Box 243	99	HO ICU	982566F VA
EXCLUDING:	Papakura			
1) Bandsaws, with a maximum cutting capacity in the	AUCKLAND			
norizontal positions, 45° or 90° as follows:				
outting at 90°, round bar capacity up to 260mm diameter outting at 90°, flat bar up to 430mm wide x 260mm high				
Cutting at 45°, round bar capacity up to 260mm diameter				
Cutting at 45°, flat bar up to 280mm wide x 260mm high				
excluding:				
utomatically controlled bandsaws  2) Box and plan folders, hand operated				
3) Buffing and contact grinding machines, not exceeding				
304.8mm wheel diameter and 508mm belt width				
4) Chain saw sharpeners 5) Drill presses, beach or floor mounting column tune				
5) Drill presses, bench or floor mounting column type, elt driven, excluding types with power feed to drilling				
uill				
6) Drill presses, wall mounting, radial type not				
exceeding 22.22 capacity in mild steel.  7) Dualfoam hydraulic press with facility to cast its				
wn tools models 5E, 6, 7, 8 and 9				
8) Machinery, peculiar for use in making and repairing				
exhaust systems and other products made from metal				
cubing, not exceeding the following capacity; swaging, 19mm-76mm				
,				
expanding, 25mm-76mm; pending, 19mm-76mm; and				