



The New Zealand
Gazette

Customs Edition

WELLINGTON: TUESDAY, 12 MAY 1992

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1992/16
Applications Advertised for Objection
Closing Date for Objections 2nd June 1992

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the Ministry of Commerce, PO Box 1473, Wellington, Fax (04) 473-8949 indicated by the reference number, before 2nd June 1992. All submissions must include:
- the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item; and
 - Reference number.
- 2 All submissions from local manufacturers must include:
- the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 All submissions objecting to a request for the withdrawal of a concession must include:
- reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Commerce quoting the details in paragraph 1 above.
- 5 Any submission not supported by the information required in the paragraphs above will be considered invalid.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. No.	*Category of Appn.
2106.90.09	Nepro specialised liquid or powder nutrition	Abbott Laboratories NZ Ltd C/- Banner Tariff & Trade Consultants PO Box 1744 WELLINGTON	99	987252D	A
3004.90.19	Nimotop (Nimodipine) solution and film coated tablets imported per Parcel Post on AKS1148326 of 23 November 1991 and Airfreight SQ7296 on 11 January 1992	Bayer New Zealand Ltd PO Box 38405 Petone WELLINGTON	26	986924H	SS
3307.49.00) 6912.00.09)	Room air freshener sets comprising a ceramic pot with glazed based and porous upper portion and a perfume sachet	S C Johnson & Sons Pty Ltd C/- Daniel Silva Ltd PO Box 305 AUCKLAND 1	99	987239G	A
3506.91.00	Wabocrete FMV elastomeric two component binder	Construction Techniques Ltd C/- Schenker & Co (NZ) Ltd PO Box 73-012 AUCKLAND INTERNATIONAL AIRPORT	99	987133A	A
3808.30.08	CURRENT APPROVAL Torpedo		99	721742A	V
3808.30.08	REQUESTED APPROVAL Torpedo/midstream	ICI NZ Ltd C/- PO Box 53-012 AUCKLAND INTERNATIONAL AIRPORT	99	987255J	V
3808.90.00	Dichlorophen	BDH Chemicals NZ Ltd C/- ASC Flowers Customs Ltd PO Box 4144 WELLINGTON	99	987276A	A
3808.90.00	Famphur 26% in xylene (an intermediate insecticide)	Pitman Moore (NZ) Ltd C/- PO Box 53-012 AUCKLAND INTERNATIONAL AIRPORT	99	987258C	A
38.16	Refractory cements viz: Fondit K, Didomur 1	ACI New Zealand Glass PO Box 12345 Penrose AUCKLAND	99	987266D	A
3823.90.69	Certincoat TC 100	ACI New Zealand Glass Manufacturers Ltd PO Box 12345 Penrose AUCKLAND	99	987268L	A
3907.20.09	Mastertop 1240 epoxy resin hardener	MBT (NZ) Ltd PO Box 19450 AUCKLAND	99	987211G	A
3917.39.08	Clear PVC hose, spring wire reinforced	Dunlop Flexible Hoses PO Box 13543 Onehunga AUCKLAND	99	987138B	A
3920.99.29	Silicone elastomeric sheeting	Rubber Services Ltd C/- Bennett & Moffitt PO Box 1617 AUCKLAND 1	99	987153F	A
3926.90.69	Nail in electrical cable clips	Aimco Aerials (NZ) Ltd C/- J F Ross PO Box 1653 AUCKLAND	99	987229K	A
4202.92.09	Insulated polyethylene carrier bags	Neil Cropper & Co Ltd PO Box 62-180 Sylvia Park AUCKLAND	99	987235D	A
4602.10.09	Articles consisting of or incorporating birdsnests, with one or more birds or eggs	Unique Imports Ltd C/- Hammond International Ltd PO Box 3349 WELLINGTON	99	987171D	A
4804.42.00	CURRENT APPROVAL White beverage cupstock weighing 190gms to 220gms in reels 600mm to 1000mm wide, for the production of paper cups only		99	986337A	
4804.42.00	REQUESTED APPROVAL White beverage cupstock weighing up to 250gms, in reels up	Polarcup NZ Ltd	99	987241J	IM

Tariff Industry Assistance (Advertisement) Notice No. 1992/16—continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
8479.89.00	Assembly table, incorporating a built-in cutting device specially suited for use in the manufacture of printed circuit boards	Gallagher Electronics NZ Ltd Private Bag HAMILTON	99	987275C	A
8481.80.19	Ball valves with hose connector (1/2''/12.7mm)	Hardware Manufacturing Co Ltd C/- PO Box 53-012 AUCKLAND INTERNATIONAL AIRPORT	99	987256G	A
8525.20.09	Fully synthesised marine VHF radio with telephone interface facilities	Uniden (NZ) Ltd PO Box 38-630 AUCKLAND	99	987240L	A
8525.20.09	Mobile data dispatch terminals	Motorola (NZ) Ltd C/- Burlington Air Express (NZ) Ltd PO Box 13-142 Onehunga AUCKLAND	99	987271L	A
8527.29.09	AM/FM component tuners	Monaco Corporation Ltd C/- PO Box 3986 AUCKLAND	99	987238J	A
8537.10.00	Digital RF spread spectrum alarm controllers and accessories	Cactus Security (NZ) Ltd C/- Burlington Air Express (NZ) Ltd PO Box 13-142 Onehunga AUCKLAND	99	987270B	A
8705.90.00	Mechanical road sweepers incorporating conveyor belt pick up system	Wilson Engineering Systems Limited PO Box 12-878 Penrose AUCKLAND	99	987269J	A
8713.90.00	Motorised invalid carriages: prescription mobility with detachable footrests	Group Pharmaceutical PO Box 40014 AUCKLAND	99	987253B	A
Chapter 90	CURRENT APPROVAL Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; EXCLUDING: (1) Electric current controllers/indicators, up to 240v (2) Frequency meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 0.5 and having face size of 72mm or 96mm square (3) Milk cryoscopes (4) Moving coil and moving coil/rectifier ammeters and voltmeters, including microammeters, milliameters and D.C. millivoltmeters for use with external shunts, flush mounting horizontal sector scales, accuracy class 2.5 and having body diameter of between 54 and 70mm (5) Moving coil and moving coil/rectifier ammeters and voltmeters, including milliameters and D.C. millivoltmeters, for use with external shunts, flush mounting with circular or quadrant scales accuracy class 1.5 and having face size of 72mm or 96mm square (6) Moving iron ammeters and voltmeters including milliameters, flush mounting and quadrant scales to accuracy class 1.5 and having face size of from 72mm to 144mm square inclusive (7) Pressure, humidity and moisture control and measuring devices (8) Industrial type batch and predetermining batch counters, but not including digital electronic frequencies above 1MHz (9) Variable speed controllers for A.C. motors, sizes up to and including 255 kw (10) Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power and flow pressure EXCLUDING: Public water supply data logging equipment, (11) Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units (12) Bin and hopper level control instruments and apparatus (13) Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to 10hp or 7.5 kilowatts resistive (14) Electronic marine instruments for recording boat speed and distance other than Decca Logs and Seafarer Logs (15) Energy management systems, peculiar to use for measuring, analysing and controlling electrical demand (16) Gas detection systems, peculiar for use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue (17) Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72mm to 144mm square (18) Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales		99	983116K	V

Tariff Industry Assistance (Advertisement) Notice No. 1992/16-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. No.	*Category of Appn.
	NOTE: circular, sector and quadrant type scales are illustrated in Fig. 2 on pages 11 and 12 of BS 3693, PART 1, 1964, "The Design of Scales and Indexes." (19) Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms (20) Post payment self-service petrol dispensing systems (21) Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately (22) Telemetry system designed for the remote control measuring and indicating of physical and electrical data, such as voltage, current, power and position status (23) Electronic taximeters (24) Ripple signal control equipment (25) Parts of electrical weight or load measuring equipment; viz: load cells, load bars, weigh cells, load transducers, weight transducers, strain gauge transducers, force transducers Other than: Hermetically sealed transducers (being gas tight), shock proof transducers (being without fittings or attachments), explosion proof transducers, load pins, shackle pins, cannister cells, single point cells, pancake cells, dual cantilever, straight types				
Chapter 90	REQUESTED APPROVAL Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; EXCLUDING: (1) Electric current controllers/indicators, up to 240v (2) Frequency meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 0.5 and having face size of 72mm or 96mm square (3) Milk cryoscopes	Carrel & Carrel Ltd C/- Burnard & Reynolds Ltd PO Box 53-062 AUCKLAND INTERNATIONAL AIRPORT	99	987179K	V
+	(5) Moving coil and moving coil/rectifier ammeters and voltmeters, including milliameters and D.C. millivoltmeters, for use with external shunts, flush mounting with circular or quadrant scales accuracy class 1.5 and having face size of 72mm or 96mm square (6) Moving iron ammeters and voltmeters including milliameters, flush mounting and quadrant scales to accuracy class 1.5 and having face size of from 72mm to 144mm square inclusive (7) Pressure, humidity and moisture control and measuring devices (8) Industrial type batch and predetermining batch counters, but not including digital electronic frequencies above 1MHz (9) Variable speed controllers for A.C. motors, sizes up to and including 255 kw (10) Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power and flow pressure EXCLUDING: Public water supply data logging equipment, (11) Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units (12) Bin and hopper level control instruments and apparatus (13) Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to 10hp or 7.5 kilowatts resistive (14) Electronic marine instruments for recording boat speed and distance other than Decca Logs and Seafarer Logs (15) Energy management systems, peculiar to use for measuring, analysing and controlling electrical demand (16) Gas detection systems, peculiar for use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue				
+	(17) Power factor meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 1.5 and having face size of 72mm or 96mm square				
+	(18) Rectangular style moving coil and moving coil/rectifier ammeters and voltmeters including milliameters having a face with a long side falling between 80 and 92mm and a short side falling between 72 and 84mm				
+	(19) Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms				
+	(20) Post payment self-service petrol dispensing systems				
+	(21) Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically				

Tariff Industry Assistance (Advertisement) Notice No. 1992/16-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. No.	*Category of Appn.
	control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately				
	(22) Telemetry system designed for the remote control measuring and indicating of physical and electrical data, such as voltage, current, power and position status				
	(23) Electronic taximeters				
	(24) Ripple signal control equipment				
	(25) Parts of electrical weight or load measuring equipment; viz: load cells, load bars, weigh cells, load transducers, weight transducers, strain gauge transducers, force transducers				
	Other than:				
	Hermetically sealed transducers (being gas tight), shock proof transducers (being without fittings or attachments), explosion proof transducers, load pins, shackle pins, cannister cells, single point cells, pancake cells, dual cantilever, straight types				
+	(26) Electrical transducers including signal converters and				
+	isolators. Transducers are devices that measure an				
+	electrical quantity and converts it into a directly related				
+	load-independent DC current or voltage. The input may be				
+	current, voltage, power, phase angle frequency, resistance				
+	or other such electrical quantity				
9002.20.00	CURRENT APPROVAL				
	VDU optical quality glass panel with dual glare and static protection		99	800986E	V
9002.20.00	REQUESTED APPROVAL				
	VDU optical quality glass panel with glare protection, with or without static protection	Microtronix Computer Supplies C/- NZ Express Customs Limited PO Box 53-002 AUCKLAND INTERNATIONAL AIRPORT	99	987264H	V
9404.10.00	Mattress supports viz: inner spring units not upholstered up to and including 75mm thickness	Alpine Design Furniture PO Box 1316 Hamilton	99	987251F	A
9603.21.00)	Animal toothbrushes viz:	Chemstock Animal Health	99	987274E	A
9603.90.19)	(a) Dual ended toothbrushes	C/- PO Box 1804			
	(b) Finger toothbrushes	CHRISTCHURCH			
	(c) Single ended toothbrushes with a bristle base not exceeding 1.5cm				
	(d) Swab applicators				
* Category of Application:	A - General Approval				
	CE - Capital Equipment				
	IM - Inputs to Manufacturing - Inability to Supply				
	IP - Inadequate Production				
	MS - Manufacturers' Samples				
	RUC - Revocation of Unused Concession				
	S - Shortfall				
	SS - Special Situation				
	V - Variation of Existing Concession				
	W - Withdrawal of Concession				
	+ - Denotes amendment or addition				

Dated at Wellington this 7th day of May 1992.

V.A. MANKS, Ministry of Commerce.

Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 16) 1992

I, Vincent Anthony Manks, Executive Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe; and
- (c) Withdraw with effect fourteen days from the date of this Gazette, or otherwise at the date so specified, the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice; and
- (d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.

FIRST SCHEDULE
Concessions Approved

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
X 2908.10.19	Dichlorophene G4 technical grade	Free	Free	99	920699L	1/88	..
X 3004.20.09	Ciprofloxacin (Ciproxin) solution	Free	Free	26	986847L	6/89	..
A 3926.90.69	Plastic garden container with reservoir and water drawing wicking action	Free	Free	99	986769E	12/91	..
X 4015.90.00	Survival and immersion suits, when supported by advice from the Marine Division, Ministry of Transport, that the suits comply with the requirements of Regulations 33 or 34 of Chapter 111 of the International Convention for Safety of Life at Sea 1974 (SOLAS 1974) as amended in 1983	Free	Free	99	986742C	7/91	..
A 4819.50.00	Waxed paper cones of a type used to hold iced confections	Free	Free	99	987014J	2/92	..
X 56.03	Non woven bonded fabric composed of continuous filament fibres of polyester or of polyester and woodpulp	Free	Free	99	986467K	12/91	..
A 5607.49.01	Three strand polypropylene mono filament staple fibre rope 32mm to 48mm (diameter inclusive)	Free	Free	99	986655J	10/91	..
X 6805.30	Sanding belts of combination materials exceeding 940mm	Free	Free	99	986992B	2/92	..
X 7321.81.00)	Balanced flue gas wall heaters not exceeding 16000 BTU	Free	Free	99	986904C	2/92	..
X 7321.90.09)							
X 7321.81.00)	Gas fired encased fuel effect domestic heater with a maximum output of 14625 BTU per hour	Free	Free	99	986905A	2/92	..
X 7321.90.09)							
X 8525.20.09	Rapid surveillance and electronic warfare interception system	Free	Free	99	986333J	3/91	..

THIRD SCHEDULE
Concession Approvals Withdrawn

Tariff Item	Description of Goods	Ref. No.
2908.90.09	Dichlorophene ... grade	920699L
3004.20.09	Ciprofloxacin ... solution	986847L
4015.90.00	Survival ... 1983	986742C
56.03)	Bonded ... fibres	986467K
58.02)		
59.03)		
6805.10)	Sanding ... 940mm	986992B
6805.20)		
6805.30)		
7321.81.00)	Balanced ... BTU	986904C
7321.90.09)		
7321.81.00)	Gas ... hour	986905A
7321.90.09)		
8525.20.09	Rapid ... system	986333J

Category of Decision:	Code	Description
A	-	General Approval
CE	-	Capital Equipment
GT	-	Goods in Transit
IM	-	Inputs to Manufacturing - Inability to Supply
IP	-	Inadequate Production
MS	-	Manufacturers' Samples
RUC	-	Revocation of Unused Concession
S	-	Shortfall
SS	-	Special Situation
V	-	Variation of Existing Concession
X	-	Administrative Amendment

NOTE

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice and declined applications for concessions as listed in the Fourth Schedule to this notice will not be published in the Consolidated List of Decisions.

Any concession approved may be withdrawn or modified by notice in the *Gazette*.

Dated at Wellington this 7th day of May 1992.

V.A. MANKS, Ministry of Commerce.



